

# HOWARD PRICE LIST

**€** 1800 888 359 | www.howard-australia.com.au

**EFFECTIVE: February 2025** 

# **CONTENTS**

SPECIFICATIONS	3
NUGGET	4
EHDE	5
EHD	6
SLASHER OPTIONS	7
RLM ROLLER MOWERS	8
ROTARY HOES	9



## **SPECIFICATIONS**

	Tracto	or Power	WORKING	WIDTH	LINKAGE	WEIGHT	РТО				
MODEL	MIN HP	MAX HP	WIDTH CM	OVERALL CM	CAT	(APPROX.) KG	RPM				
NUGGET SLASHERS											
NUG120	25	45	120	134	0/1	260	540				
NUG135	28	45	137	151	1	275	540				
NUG150	30	100	152	169	1 + 2 pins	390	540				
NUG180	36	100	183	197	1 + 2 pins	465	540				
NUG210	42	100	213	231	2	560	540				
			EHD E SERIE	S SLASHERS							
EHD180E	70	150	183	200	2	675	540				
EHD210E	85	150	213	233	2	920	540				
EHD300E	100	160	297	316	2	1150	540				
EHD SERIES SLASHERS											
EHD180	70		183	200	2	660	540				
EHD210	85	Not Limited (i)	213	233	2	915	540				
EHD240	90		236	250	2	975	540				
					(i) Tractor hp not lin	nited provided clutch	is correctly set.				
			RLM M	OWERS							
RLM178	30	75	178	191	1 + 2 pins	460	540				
RLM237	45	95	237	250	2	800	540				
RLM350	75	110	349	236(ii)	2	1095	540				
						(ii) 7	ransport width.				
			AH4000 RC	TARY HOES							
AH4255	100	200	254	307	2	1405 (iii)	1000				
AH4305	120	200	305	358	3/3N	1690 (iii)	1000				
AH4355	140	200	355	408	3/3N	1845 (iii)	1000				
AH4405	160	200	405	459	3/3N	2125 (iii)	1000				
			CH4000 RC	TARY HOES							
CH4420	160	300	417	463	3 /4N	2780 (iii)	1000				
CH4470	180	300	468	513	3 /4N	3080 (iii)	1000				
CH4570	220	300	569	605	3 /4N	3505 (iii)	1000				
CH4620	240	300	620	647	3 /4N	3775 (iii)	1000				
AH4305 AH4405 CH4420 CH4470 CH4570	120 140 160 160 180 220	200 200 200 300 300 300	254 305 355 405 <b>CH4000 RC</b> 417 468 569	307 358 408 459 <b>PTARY HOES</b> 463 513 605	3/3N 3/3N 3/3N 3 /4N 3 /4N 3 /4N	1405 (iii) 1690 (iii) 1845 (iii) 2125 (iii) 2780 (iii) 3080 (iii) 3505 (iii)	1000 1000 1000 1000 1000 1000				

<sup>(</sup>iii) Typical maximum weight given. AH includes crumble roller. CH includes rear toolbar and crumble roller.

## **TERMS AND CONDITIONS:**

PFG Australia reserves the right to change pricing and specifications without notice. All product images are for illustrative purposes only and may show optional accessories not included as standard.

## **HOW TO ORDER:**

- 1. All orders are now to be entered online via PFG Powerlink Portal.
- 2. You will receive an automatic email notification once your order has been placed, outlining what you have ordered.
- 3. An additional order confirmation will be sent from PFG once the order has been processed. Please check all details are correct.
- 4. FOR PREPAYMENT CUSTOMERS ONLY Once your order is complete, a proforma invoice will be sent for payment prior to collection.
- 5. Once finance is received from proforma payment or approved floor plan, a tax invoice will be issued and emailed, indicating that your order is available for collection.







# RECOMMENDED FOR TRACTORS UP TO 100HP

For a larger general purpose slasher the Nugget 150, 180 and 210 are designed and built to out perform all competitive machines within their price range. A hot dip galvanised body for corrosion resistance combined with a smooth top for preventing vegetation build up ensuring a long service life and top performance.



PRODUCT CODE	MODEL	OH & S COMPLIANT	CUTTING WIDTH	REC. TRACTOR HP	REAR WHEEL (S)	PRICE EX. GST	PRICE INCL. GST
HS-NUG150S4	NUG 150	✓	1.52m	30-100	Optional	\$6,620	\$7,282
HS-NUG180S4	NUG 180	✓	1.83m	36-100	Optional	\$7,030	\$7,733
HS-NUG210S4	NUG 210	✓	2.13m	42-100	Optional x2	\$9,690	\$10,659

## **ALL STANDARD FEATURES:**

- · Complies with the WorkCover Slasher Safety Guide:
  - Extended Front & Rear Apron to protect against foot/blade contact.
  - Front & Rear Chain Debris Guarding.
- · Heavy, 4mm, gusseted shoulder steel body
- · Easy height adjustment
- · Curved skids to reduce scalping
- · Hot dip Galvinised body for corrosion resistance

- Friction clutch protection to safe-guard both the tractor transmission and Nugget drive train
- $\boldsymbol{\cdot}\;$  Latest design, high clearance two piece blade carrier
- $\cdot\;$  Forged, step-down blades for fine, even mowing
- Pivoting head stock with chain back stays for increased performance
- · Smooth top for easy clean and reducing vegetation buildup
- · Optional rear wheel kit available



ricing and specifications effective: February 2025. All prices are stated ix-Melbourne and Yatala. All prices and specifications are subject to chang vithout notice – various specifications are stocked in Australia.



## **RECOMMENDED FOR TRACTORS UP TO 150HP**

HOWARD's EHDE Series is a new model variant utilising the body & blade beam from the EHD series together with a market standard transmission (gearbox and friction clutch) to produce a competitively priced slasher.

The EHDE maintains all the benefits of the EHD Series body with good under-body clearance and the proven multi-leaf alloy spring steel blade beam. You can now have the legendary performance of an EHD with a more price conscious entry level spec.

PRODUCT CODE	MODEL	OH & S COMPLIANT	CUTTING WIDTH	REC. TRACTOR HP	REAR WHEEL (S)	PRICE EX. GST	PRICE INCL. GST
HS-EHD180ES2	EHD 180E	✓	1.8m	70-150	Optional	\$12,230	\$13,453
HS-EHD210ES2	EHD 210E	✓	2.1m	85-150	Included	\$16,218	\$17,840
HS-EHD300ES2	EHD 300E	✓	2.97m	100-160	Included	\$26,940	\$29,634

#### **ALL STANDARD FEATURES:**

- · Complies with the WorkCover Slasher Safety Guide:
  - Extended Front & Rear Apron to protect against foot/blade contact
  - Front & Rear Chain Debris Guarding.
- · Alloy spring-steel blade beam assembly
- Galvanised body
- · Clevis hitch mounting
- 2x pivoting rear wheels are standard on EHD210E and EHD300E

- · 5mm body
- · Pivoting Topmast and Chain Backstays
- Body is reinforced with full-length tubular gussets on sides
- · Adjustable skids





## UNLIMITED HP RATING

The EHD slasher is the benchmark for all slashers. No other brand has our history of rugged reliability and low running costs. Our confidence in the EHD is backed by an unlimited horsepower rating as the gearbox is fully fabricated from steel and fitted with a forged one piece blade beam spindle. This is all backed up with a TWO YEAR GEARBOX WARRANTY. A preferred choice for many contractors and municipal users as the EHD is built for optimum safety, performance and service life.

PRODUCT CODE	MODEL	OH & S COMPLIANT	CUTTING WIDTH	REC. TRACTOR HP	REAR WHEEL (S)	PRICE EX. GST	PRICE INCL. GST
HS-EHD180S2	EHD 180	✓	1.8m	70-UNLIMITED	Optional	\$14,490	\$15,939
HS-EHD210S2	EHD 210	✓	2.1m	85-UNLIMITED	Included	\$17,850	\$19,635
HS-EHD240S2	EHD 240	✓	2.4m	90-UNLIMITED	Included	\$20,710	\$22,781

## **ALL STANDARD FEATURES:**

- · Complies with the WorkCover Slasher Safety Guide:
  - Extended Front & Rear Apron to protect against foot/blade contact.
  - Front & Rear Chain Debris Guarding.
- Fabricated gearbox with forged one-piece blade beam spindle
- · Clevis hitch mounting
- · 2x pivoting rear wheels are standard on EHD210 & 240
- · Alloy spring-steel blade beam assembly

- · Galvanised body
- · 5mm body
- $\cdot\;$  Pivoting Topmast and Chain Backstays
- Body is reinforced with full-length tubular gussets on sides
- Adjustable skids
- · Top entry TW hatch for easy access to blade balts



## **SLASHER OPTIONAL EQUIPMENT**

PRODUCT CODE	EHD/ EHD-E SLASHER OPTIONS	PRICE EX. GST	PRICE INCL. GST
HS-615520-EHD180	Mulching Blade Kit suit EHD/E 180/300 (2x Kit required for 300	\$600	\$660
HS-615520-EHD210	Mulching Blade Kit suit EHD/E 210	\$600	\$660
HS-615520-EHD240	Mulching Blade Kit suit EHD 240	\$700	\$770
HS-EHDWHEELS2	Single Rear Wheel kit	\$1,785	\$1,964
HO-20902941B	Additional Solid Rubber Tyre and Rim (Contractor Tyre) HS-EHDWHEELS2 also required	\$700	\$770
HS-EHDSTAND	EHD Stand – Support Stand (pair)	\$1,155	\$1,270
	NUGGET SLASHER OPTIONS	PRICE EX. GST	PRICE INCL. GST
HS-NUGL3WHL	Single Wheel Kit (suits Nugget 120L3 & 135L3)	\$830	\$913
HS-NUGS2WHL	Single Wheel Kit (Suits Nugget 150S4, 180S4 & 210S4) Suits also earlier S3 models.	\$700	\$770



DESIGNED FOR GENERAL MOWING IN A WIDER VARIETY OF APPLICATIONS INCLUDING PARKS, SPORTS OVALS, RESERVES, ROADSIDES AND TURF FARMS.

## 2 YEAR WARRANTY ON SPINDLE AND BEAM

PRODUCT CODE	MODEL	OVERALL WIDTH	CUTTING WIDTH	TRANSPORT WIDTH	REC. TRACTOR HP	CUT HEIGHT	WEIGHT	PRICE EX. GST	PRICE INCL. GST
HS-RLM178	RLM178	1.91m	1.78m	1.91m	30-110	0-100mm	460kg	\$10,900	\$11,900
HS-RLM237	RLM237	2.50m	2.37m	2.50m	45-110	0-100mm	725kg	\$14,500	\$15,950
HS-RLM350	RLM350	3.61m	3.49m	2.35m	75-110	0-100mm	1095kg	\$23,500	\$25,850

## WHAT MAKES RLM A BETTER MOWER?

- · Hot dipped galvanised body
- · RLM will handle longer grass than competitive mowers
- Convenient transport lock

- · Hydraulic SAFETY lock out on wings
- · Debris guards front and rear
- $\boldsymbol{\cdot}$  Minimal internal residue build-up due to open design



RLM unique and convenient transport lock.



Adjustable rollers provides precision height control. Cutting height indicators for even height settings.



Improved belt engagement on larger drive pulleys to reduce slipping in heavier grass conditions.



## **AH & CH SERIES**

AH Series available in 2.5m, 3m, 3.5m & 4m

CH Series available in 4.2m, 4.7m, 5.7m & 6.2m

The new range of rotary hoes has been designed specifically for Australian conditions. The strong toolbar style design with rubber hull construction substantially reduces soil build up around the rotor that robs horse power and fuel efficiency. More effective in wetter conditions than competitors' machines, AH/CH Rotary hoes allow growers to work the ground earlier, plant earlier and get to market earlier.

## **OPTIONS:**

Paraplough sub soiler tines



Rear wheels



## **ALL STANDARD FEATURES:**

- · Chain side drives
- Fabricated toolbar style frame that provides strength and versatility
- Rubber hull and trailing board prevents soil build up and hp consumption
- 248RPM rotor on AH Series and 275RPM on the CH Series

- · Optional Extras:
  - Crumble roller
  - Rear wheels
  - Toolbars and attachments such as paraplough, sub soiling tines and row furrowers



## AH/CH 4000 SERIES

											4Н ОР	TIONS	
	AH SERIES										mble r Add	Whee	ls Add
MODEL	DRIVE	MIN HP	MAX HP	PTO RPM	WORKING WIDTH	TOTAL WIDTH	WEIGHT (MACHINE ONLY)	PRICE EX. GST	PRICE INCL. GST	PRICE EX. GST	PRICE INCL. GST	PRICE EX. GST	PRICE INCL. GST
AH4255	Single	100	200	1000	2.54m	3.1m	1,100kg	\$39,590	\$43,549	\$7,960	\$8,756	\$5,500	\$6,050
AH4305	Single	120	200	1000	3.05m	3.6m	1,350kg	\$41,900	\$46,090	\$8,495	\$9,345	\$5,500	\$6,050
AH4355	Single	140	200	1000	3.56m	4.1m	1,475kg	\$49,710	\$54,681	\$9,745	\$10,720	\$5,500	\$6,050
AH4405	Single	160	200	1000	4.05m	4.59m	1,650kg	\$55,740	\$61,314	\$10,990	\$12,089	\$5,500	\$6,050

	CH SERIES										
MODEL	DRIVE	MIN HP	мах нр	PTO RPM	WORKING WIDTH	TOTAL WIDTH	WEIGHT (MACHINE ONLY)	PRICE EX. GST	PRICE INCL. GST		
CH4470	Dual	180	300	1000	4.68m	5.13m	2,450kg	\$97,180	\$106,898		
CH4570	Dual	225	300	1000	5.7m	6.05m	2,800kg	\$116,550	\$128,205		
CH4620	Dual	240	300	1000	6.2m	6.47m	3,025kg	\$118,650	\$130,515		

CH OPTIONS									
MODEL	Fixed Too	olbar Add		Roller Add olbar option)	Rear Wh	Rear Wheels Add			
	PRICE EX. GST	PRICE INCL. GST	PRICE EX. GST	PRICE INCL. GST	PRICE EX. GST	PRICE INCL. GST			
CH4470	\$6,030	\$6,633	\$10,395	\$11,434	\$6,500	\$7,150			
CH4570	\$6,510	\$7,161	\$12,285	\$13,513	\$6,500	\$7,150			
CH4620	\$6,615	\$7,276	\$13,125	\$14,437	\$6,500	\$7,150			

	AH/CH OPTIONS								
	ROW CROP PARA	APLOUGH LEGS							
	Legs - Specify quantities right and left when ordering 150x150 Mounting brackets for Paraplough legs HO-RCPLEGRH or HO-RCPLEGLH HO-61377O-OFFSET								
PRICE EX. GST	PRICE INCL. GST	PRICE EX. GST	PRICE INCL. GST						
\$2,048 ea	\$2,253 ea	\$861 ea	\$947 ea						
	FRONT	DISCS							
	Front Disc Front Disc Mounting kit. One per disc. HO-78497 HO-78498-MNT								
PRICE EX. GST	PRICE INCL. GST	PRICE EX. GST	PRICE INCL. GST						
\$1,155 ea	\$1,270 ea	\$2,625 ea	\$2,887 ea						





In today's marketplace, businesses consider competitive tailored financing options just as important as the equipment features and benefits when they acquire machinery.

**PFG Credit** offers comprehensive financing programs to meet the individual needs of all our customers. Our lending products are designed to allow clients to conserve their working capital, budget on a fixed rate, fixed loan term and personalised repayments to suit their cash flow.

#### **QUOTES:**

Dealerships can complete online finance quotes at any time via the DLL Portal https://apacportal.dllgroup.com or call 1800 734 273 to discuss repayment options & loan structures with our team.

Refer to the latest PFG Credit Bulletin for special interest rate offers.

## **APPLICATIONS:**

Complete our easy client data form (available online at www.pfgaustralia.com.au/pfg-credit) and also obtain photo ID copies for each Borrower/Director then email to pfgcredit@pfgaustralia.com.au

## **SETTLEMENTS:**

Our Customer Care team will keep you updated on the transaction status then request a tax invoice when an approval is granted, delivery is coordinated & settlement is required.

PFG Credit is a division of De Lage Landen Pty Limited ABN 20 101 692 040. Prices exclude freight and pre-delivery. Pictures for illustration purposes.













199 Australis Drive, Derrimut, VIC 3026 www.pfgaustralia.com.au Ph: 03 8353 3600



1800 734 273 pfgcredit@pfgaustralia.com.au