



Husqvarna R 214TC

Efficient, versatile and easy to operate, this ride-on lawn mower takes care of larger lawns with ease. Husqvarna R 214 TC features a twin cylinder engine and a 94 cm combi cutting deck that provides two cutting options – BioClip® mulching for lawn fertilisation and rear ejection cutting for higher, tougher grass. A durable rider with excellent manoeuvrability that's easy to clean and maintain thanks to the cutting deck's service position. A range of Husqvarna accessories available.



16 inch wheels

16 inch wheels both front and back for optimal riding comfort and accessibility.



Pivoting rear axle

The rear axle is pivoting to get maximum traction on the drive wheels and a smooth ride also on uneven surfaces.

Hour meter

Helps you to have control over service and maintenance intervals.



Automatic blade engagement

The blades are engaged automatically, when you lower the cutting deck.



FEATURES

- Hour meter
- Pivoting rear axle for maximum traction
- Equally sized wheels for a comfortable ride
- Automatic blade engagement
- Pedal-operated hydrostatic transmission
- Easy-access cutting height lever
- Engine behind driver for better overview
- Easy-access storage compartment
- Bottle holder
- Combi cutting deck
- Comfortable driver's position
- Front-mounted deck for optimum accessibility
- Min. clearance circle by articulated steering
- BioClip® (mulching) mode for frequently cut areas
- Turn key start
- Accessories for versatile year-round usage
- Service position for easy deck maintenance
- With the smart Husqvarna Connect app, you'll have easy access to tips, manuals and spare part recommendations. The app also provides additional information such as runtime and charging status as well as maintenance and service needs. *<i>*not yet available in all countries</i>*
- Easy-access controls for user comfort

Technical Specifications	
BATTERY	
Battery capacity	24 Ah
Battery manufacturer	Global
Battery pack weight	7.2 kg
Battery type	Lead-Acid
Battery voltage	12 V
Quantity of batteries/battery pack	1 pcs
CAPACITY	
Power output	12 kW
DIMENSIONS	
Article gross weight	315000 g
Article net weight	243000 g
Base machine, height	107 cm
Base machine, length	223 cm
Base machine, width	100 cm
Cutting height steps	10
Ground clearance	105 mm
Gross weight towed	110 kg
Wheelbase	88.7 cm
ENGINE	
Cylinder displacement	586 cm ³
Cylinders	2
Electric start	Yes
Engine cooling	Air
Engine lubrication type	Pressure with Oilfilter
Motor/engine model	HV 586AE
Spark plug	Husqvarna HQT-7
Fuel tank volume	12 l
Fuel tank volume	3.17 gal (US)
EQUIPMENT	
12V outlet	No
Air filter type	Cartridge with pre filter
Blade engagement	Automatic
Blades	3 pcs
Cup holder	Yes
Cutting height adjustment	Lever, while seated
Drive method	Dual pedal-operation
Drive system	Rear wheel drive
Hour meter type	Digital
Seat suspension	Yes
Service position	Yes
Technical Platform	R 200-series
Wheelbase	88.7 cm
LUBRICANTS	
Engine lubrication type	Pressure with Oilfilter
Fuel tank volume	12 l
Power/fuel type	Gasoline
MATERIALS	
Master pack: Paper + Cardboard	0 g
Metal total	0 g
Paper + Cardboard total	0 g
PE total	0 g
PET total	0 g
Plastic foil	0 g
Plastic rigid	0 g
Plastic total	0 g

Technical Specifications

PS/EPS/HIPS total	0 g
PACKAGING	
Packaging height	980 mm
Packaging length	2310 mm
Packaging volume	2535 dm ³
Packaging width	1120 mm
Quantity in Master pack	1
VIBRATIONS	
Vibration level seat	0.29 m/s ²
Vibration level steering wheel	1.9 m/s ²