

Durability meets speed



As part of Kubota's renowned RTV lineup of utility vehicles, the Sidekick is ready for work. A powerful 48 HP petrol engine takes work performance and efficiency to all-new levels by providing unprecedented acceleration and fast travel speed. With this kind of speed and versatility, you'll get more work done in less time, leaving you with plenty of time to relax and take in the view.

PART RACEHORSE

LIVESTOCK FARMING

LEISURE ACTIVITIES

PART WORKHORSE

KUROT

GENERAL CHORES

LIMITED .

2YR/1000HR

WARRANTY

THIS IS WHAT READY FOR AN

Power

Built around a responsive and powerful 48 HP petrol engine, the Sidekick is a multipurpose utility vehicle that's ready for work or play. Take on any task or terrain with comfortable, convenient and capable features and a 64 km/h transport speed.

PERFORMANCE

Kubota's worry-free CVT Plus (Continuously Variable Transmission) with centrifugal clutch ensures fast response and rugged durability, so you can be ready for anything with an all-terrain utility vehicle that's truly built to perform.

HANDLING

The standard equipment speed-sensitive 45A EPS (Electronic Power Steering) keeps you safe and stable even when traveling at high speeds across uneven ground. Plus, the independent suspension delivers a smooth ride with plenty of clearance.



YTHING LOOKS LIKE

STYLING

Choose from two distinctive colors—Black, or Kubota Orange. Every detail from the bold headlights, the rugged cargo panels, the steering wheel, shift knob and instrument panel are functional and fun.

KUBOTA 4WD PETROL UTILITY VEHICLE



GET THERE-ANYWHERE-FAST


When the great outdoors calls, jump in your Sidekick and hit the gas. The Sidekick's powerful 48 HP petrol engine gives you the speed to get there fast. Up to 64 km/h fast. And with impressive acceleration and torque, you'll take on every big hill and distant destination with absolute confidence. It's the sort of confidence you get with an advanced all-new twin cylinder engine.

175



KUBOTA

SIDEKIC



The Sidekick's quick acceleration and high transport speed—up to 64 km/h—come from a powerful 48 HP Petrol engine. Equipped with a CVT Plus transmission, this rugged, water-cooled engine provides plenty of torque for an astonishingly quick and smooth take-off. ISC (Idle Speed Control) and highland correction ensure stable power for any situation. The durable starter needs less maintenance. And you'll never have to worry about overheating with a built-in microcomputer that monitors engine oil temperature and sounds an alarm.






CVT Plus (Continuously Variable Transmission with **Centrifugal Clutch)**


The Sidekick is equipped with Kubota's worry-free CVT Plus transmission. The centrifugal clutch keeps the thick, doublecogged belts tight for minimal slippage, ensuring fast response and excellent belt durability. Fully shielded to keep out dust and water, the CVT Plus also cools the CVT belts with a large cooling fan for even greater durability.



Power supply

The Sidekick offers electrical power for a wide range of equipment. The regulator and fully shielded generator are controlled by a microcomputer to ensure stable power for any attachment, including a work light, optional LED headlight, heater or winch.





64 km/h

BEST IN CLASS ACCELERATION & HANDLING WITH CARGO

SIDEKICK

KUBOTA

Power and speed combined with agility and stability, provides best in class acceleration and handling.

Designed for easy handling at any speed, it's always a comfortable drive thanks to the enhanced speed-sensitive EPS (Electronic Power Steering). Tuned front and rear independent suspension offers a consistently smooth ride with rugged loading performance, while the engine assists braking for greater control and safety during descents. Plus, a selectable full-time 4WD gives you the perfect traction and control on any terrain.



Speed-sensitive EPS

Light at low-speed and firm at high-speed, the Sidekick's speed-sensitive 45A EPS (Electronic Power Steering) offers exceptional steering control, improving not only handling, but also stability. Standard on all models, the EPS ensures outstanding performance even when the cabin/cargo box is heavily loaded. Operating at higher speeds, EPS safeguards against oversteering, increasing stability and control.



Front and rear independent suspension

Even when fully loaded, the Sidekick won't bottom out. Front and rear independent suspension delivers a smooth ride with plenty of clearance. It's designed for the perfect balance of comfort and capable loading performance.



Engine braking

Engine braking—engine-assisted deceleration—gives you dependable control down steep slopes. The Sidekick's one-way sprag and centrifugal clutch provides engine-assisted deceleration, letting you concentrate on steering rather than braking. You'll feel an enhanced sense of control and safety, particularly when traveling downward.



Selectable full-time 4WD

The selectable full-time 4WD system ensures outstanding traveling performance even under heavy loads, providing superior traction—a class-leading 907.2 kg of traction*—and excellent control under a wide range of terrain conditions. The 4WD system can easily be turned off when 2WD is sufficient for current driving conditions. (*907.2 kg of traction is flat road only. 703 kg of traction is available on slope.)

ONE MACHINE TO HELP YOU DO IT ALL

Got a big hauling job? Get a Sidekick. It's built to handle a wide range of hauling jobs, from gear and supplies to tools and materials. And it can carry a lot, up to 15.2 cubic feet or half a ton (454 kg) in a rugged steel cargo box with optional electric hydraulic lift for fast and effortless dumping.

SDEKCK

The Sidekick is even ready to tow your boat, trailer and more by providing a classleading 907.2 kg of towing capacity and standard trailer hitch. And don't worry about losing your gear in rough terrain. Strong and sturdy steel cargo tie-down hooks help keep it secure.

Land Contractor



Towing capacity

Be confident in the power of your Sidekick. With a classleading 907.2 kg (703 kg on inclines) towing capacity and standard trailer hitch, it's ready for a wide range of towing jobs, from boats to trailers and so much more.



Carry up to 15.2 cubic feet of cargo

The Sidekick really shines when you've got a big job to do. Its heavy-duty steel cargo box can carry up to 15.2 cubic feet or half a ton (454 kg) of tools, firewood, gear, supplies, building material—whatever needs to be moved from here to there. Plus, with seriously smooth suspension and extra clearance, the Sidekick won't bottom out. So go ahead, load it up!



Handle Any Terrain

Limited Slip Differential (LSD) provide exceptional handling in all conditions. The Sidekick 4WD system is designed to deliver optimum handling in all terrain condition, even fully loaded with cargo or towing 907.2 kg on a trailer.





Dumping cargo box

Fast and effortless, the Sidekick's cargo box with standard assist damper or optional electric over hydraulic lift makes short work of unloading cargo. Simply lift the cargo box or push the switch to dump and watch as the cargo box rises and your cargo slides out. Now that's easy.

COMFORT AND CONVENIENCE FOR THE LONG HAUL

Wherever you go, the Sidekick will make the journey comfortable and convenient. From the new ergonomic meter panel, steering wheel and shift knob, to the bright LED headlights and a ton of convenience utility features, the Sidekick has everything you need to enjoy the trip.



Digital Cluster

The smart new meter panel alerts you to all major vehicle functions with seatbelt and parking brake alarms and overheating and intermediate gear control indicators. The modern white LCD display provides excellent visibility at all times, even under difficult lighting conditions.



Performance enhanced steering wheel and shift knob

Designed to match the Sidekick's bold style, the ergonomic steering wheel and shift knob improve driver experience and overall comfort. The angle of the steering wheel can be adjusted to fit your posture for easier handling and greater control.



LED headlights

Let your Sidekick lead the way with cuttingedge LED headlights that offer improved brightness and visibility—and last longer, too! For even greater brightness, a 4-headlight option is available.



Half doors and shoulder guards

Half doors on both sides keep out dirt, brush and other unwanted elements while making it easy to get in and out. Shoulder guards help keep everyone safely inside the vehicle during tight turns.





60:40 Split-bench seats

The split-bench seat style is ergonomically designed to provide hours of working comfort. Providing the appropriate space for both driver and passenger—now that's smart.

Under-seat storage compartments

Large compartments under the split-bench seats are ideal for storing tools, tie-downs and personal items.

Glove box

A large glove box on the passenger side provides quick and convenient access to personal items and frequently used gear. For safety and security, the glove box is equipped with a cover and a key.

Cup holder

DC outlet

A convenient cup Cl holder keeps your or beverage tumbler or de travel mug secure wi and always within Du reach.

Charge your phone or other electronic device on the go with a convenient DC outlet.

OPTIONAL CABIN AND ACCESSORIES

Poly flip windshield

Build your own custom Sidekick! These optional cabins and accessories will make your RTV experience more comfortable, personal, and memorable.

Poly windshield

Sport roof

80

Glass windshield

Sport roof seal panel kit


Door set

Glass Rear Panel




Door insert kits









Front work light



Electric hydraulic bed lift kit (left: dump switch / right: lift cylinder)

FOR MORE COMFORT AND CONVENIENCE

FOR MORE WORKABILITY



LED Headlight



Bush guard



Tail lamp guard





Headrest kit



Under guard



A-arm guard (Front / Rear)





Mud guard (Front / Rear)

Kubota Australia Pty Ltd

25-29 Permas Way, Truganina VIC, 3029 Australia Freecall: 1800-334-653 Email: sales@kubota.com.au

Web Site: http://www.kubota.com.au

Kubota New Zealand Limited

Freecall: 0800-582-682 Email: sales@kubota.com.au

Web Site: http://www.kubota.co.nz



©2019 Kubota Corporation

nae

ped

Specifications

	me		RTV-XG	
Туре			Worksite	Special
Body color	r		Orange	Black
	Туре		2-cylinders, 4-cycle	Petrol, DOHC
	Displacement	cc	851	
		V) /rpm	48.3 (36) /	5,750
	Cooling system		Liquic	
	Battery	Ah	56	2 1000
Transmiss			CVT PLUS (CVT with o	centrifugal clutch)
Gear seled			Hi-Lo range forward,	
Max. Trav	eling speed	km/h	0-64.4	4
4WD	Front differential		Limited-slip di	ifferential
	Rear differential		Foot operated diff	ferential lock
Steering	And and the second second	1000	Speed sensitive Electr	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Front / Rear			c disc brake The company reserves the right
Brakes	Parking brake		Rear wheel, han	the above specifications without
	Front suspension	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Independent, Dual cast iron A-arms	I ne values in "Ground clearanc
	Front suspension travel	mm	229	"Weight" are those of the machi with the tires in the table above.
Suspension	Rear suspension	Barry P.	Independent with coil over shock	
	Rear suspension travel	mm	Independent with coil over shock For off-highway use only.	
	Front	mm	240 The company reserves the ligh	
	Rear	mm	249	to change the stated specifications wit
leadlights			LED (High-Low) wi	
	Tubular overhead structure	mm	50.8	contained information; some items sho
Occupant Protective	Seat belts		30.8 3-poir	
Protective System OPS)	Certification		SAE J2194 and OSHA	all representations and warranties, exp
	Certification		2 SAE 32 194 and OSHA	or implied, or any liability from the use
Seating			2 3,093 *include	brochure. For complete warranty, safe product information, consult your local
	Length Width	mm	1,605 dealer and the operator's market 2,020 *include ROPS standards or recommended p	
	Height, overall	mm mm		
	Front tread centers	mm	1,320 1,320	safety, Kubota strongly recommends t
Jimensions	Rear tread centers		1,320	Rollover Protective Structure (ROPS)
		mm		
	Wheelbase	mm	2,045	only. For information regarding Kubota
	Turning radius	m	4.0	or services outside these areas, see K Corporation's global web site. Kubota
Neight		kg	799 *d	provide parts, warranty or service for a
Towing ca		kg	Flat : 907.2 / S	Slope : 703 which is re-sold or retailed in any cour
Payload c		kg	651	or manufactured
Cargo	Material	CONTRACT OF A	Steel	The second se
bed	Width x Length x Depth	mm	1,030 x 1,46	
	Volume	m ³	0.43	
	Cargo bed load	kg	454	
	Dumping system		Manua	al Kubota
	Power Lift		Optional electric hyd	draulic power lift Genuine Parts
uel tank	capacity	L	32.7	for maximum
	ing at operator's ear at max rpm	db. (A)	89.8	
Fires	Front and rear	ATV	25 x 10-12	e, 6-ply performance,
	and the second s	HDWS	25 x 10-12, 6-ply	25 x 10-12, 6-ply (Optional) durability and
Front guar	rd		Standard fro	nt guard safety
	el la		Optional	Standard
Alloy whee				