

# PFG

# AUSTRALIA

CULTIVATION, SEEDING AND VEGETATION MANAGEMENT



**AITCHISON**





PFG Australia is a third generation family owned and operated business. With office's in both Australia and New Zealand and a team of people to support the brands it sells, you can be sure that your new and old machinery will be in service for many years to come. Our product portfolio includes brands that are the leaders in their markets.



**MULCHING, SHREDDING & CULTIVATION**

In 1964 the Maschio brothers started producing tillers in the barn of their home. 53 years later and the company is still managed by the Maschio family but has grown to 8 manufacturing plants and 1800 employees worldwide. They are the leading manufacturer of rotary tillage, vegetation maintenance tools and seeding equipment.

[www.maschiogaspardo.com.au](http://www.maschiogaspardo.com.au)



**SEED DRILLS**

A family owned New Zealand business that produce seeding equipment specifically designed for Australian and New Zealand conditions for both direct drilling and cultivated ground. Aitchison was founded in 1972 in Wanganui, New Zealand and has introduced many new innovations over the years including the now world famous inverted T-slot boot that Peter Aitchison, the company founder, attached to a tine to create a very effective direct seeding system.

[www.aitchisonseeding.com.au](http://www.aitchisonseeding.com.au)



**VEGETATION MANAGEMENT**

To own a Howard Slasher is owning a part of Australian farm machinery history. Still proudly owned and distributed by PFG Australia based in Melbourne. Howard Slashers and Mowers can be found in machinery sheds all over Australia and in all applications. From small hobby farms, to large scale farmers and roadside contractors there is a size and spec to suit all applications.

[www.howard-australia.com.au](http://www.howard-australia.com.au)



**CULTIVATION**

Milled from hardwood and forged from sulky springs, the first rotor and blades for the rotary hoe were made by Cliff Howard on his father's farm at Gilgandra, NSW. Sweat and toil in this little old workshop on the property, "Mountain View", introduced the first rotary hoe to the world in 1920. Nearly 100 years later Howard is still a trusted brand in Australian agriculture and here to stay. Specialising in a range of rotary hoes, slashers, loaders and attachments.

[www.howard-australia.com.au](http://www.howard-australia.com.au)

**PFG CREDIT** can easily allow you to acquire innovative equipment without a heavy down payment. You pay for its use from your operating budget and not from your capital reserves – which means you free up capital that can be used to grow other parts of your business. Payment solutions can be designed to allow businesses to conserve working capital, budget on a fixed rate, fixed term and fixed repayments to suit their cash flow.

**KEY FEATURES:**

- Simple Application - Fast Approval
- Up to \$250K - No Financial's Needed
- Tailored Payment Options
- Fixed Interest Rate
- Loan Secured by Equipment Only

---

**ZERO IN ON A GOOD DEAL**

with your choice of the following finance options on all machines (excluding slashers) up to \$100,000.

**ZERO INTEREST AT 0.00% P.A.**  
1/3<sup>rd</sup>, 1/3<sup>rd</sup>, 1/3<sup>rd</sup> over 12 months\*

OR

**ZERO DEPOSIT AT 2.49% P.A.**  
over 36 equal monthly repayments\*\*

---

**10% DEPOSIT AT 2.49% P.A.**  
over 36 monthly repayments\*\*\*

Available on all machines (excluding slashers).

**TERMS AND CONDITIONS**

\*Zero interest offer at 0.00% p.a. is 1/3<sup>rd</sup> repayment at settlement, 1/3<sup>rd</sup> repayment in month six & 1/3<sup>rd</sup> repayment in month twelve over the 1 year total loan term. \*\*Zero deposit offer at 2.49% p.a. is followed by 36 equal monthly repayments over the 3 year total loan term. \*\*\*Offer at 2.49% p.a. is based on 10% deposit followed by 36 equal monthly repayments over the 3 year total loan term plus the equipment GST component being repaid on the 4<sup>th</sup> month. Alternative finance packages and structures are also available to approved ABN holders via PFG Credit. Loan fees & lending criteria apply. PFG Credit is a division of De Lage Landen Pty Limited ABN 20 101 692 040. Excludes dealer freight and pre-delivery charges. PFG Australia reserves the right to change specifications and recommended price incl. GST without notice. All product images are for illustrative purposes only and may show optional accessories not included in the price incl. GST. Pricing in this catalogue does not include pre-delivery costs and freight. Offer ends 31/3/2021.





# VEGETATION MANAGEMENT

## NUGGET 120/135 The general purpose compact legend

### RECOMMENDED FOR TRACTORS UP TO 45HP

The HOWARD Nugget compact range of slashers is designed and built to meet the market requirements for a tough, long-life compact slasher at the right price.

Many of the features from the larger HOWARD slashers are incorporated to ensure long service life and top performance.

They can be either centre mounted or offset to meet all your slashing requirements.



## NUGGET 150, 180 & 210 The general purpose legend

### RECOMMENDED FOR TRACTORS UP TO 100HP

For a larger general purpose slasher the Nugget 150, 180 and 210 are designed and built to out perform all competitive machines within their price range.

A hot dip galvanised body for corrosion resistance combined with a smooth top for preventing vegetation build up ensuring a long service life and top performance.



### STANDARD FEATURES

- Front chains and rear debris guarding
- Heavy, 4mm, gusseted shoulder steel body:
  - no blocking in heavy conditions
- Adjustable skids for accurate cutting height control
- Forged, step-down blades for fine, even mowing
- Pivoting head stock and chain back stays
- Hot dip galvanised body for corrosion resistance
- Smooth top for easy clean and reducing vegetation buildup
- Optional rear wheel kit available

PRODUCT CODE	MODEL	OH&S COMPLIANT	CUTTING WIDTH	REC. MAX TRACTOR HP	REAR WHEEL(S)	PRICE EX. GST	PRICE INCL. GST
HS-NUG120L3	NUG 120	√	1.2m	25-45	Optional	\$2,495	\$2,745
HS-NUG135L3	NUG 135	√	1.37m	28-45	Optional	\$2,895	\$3,185
HS-NUG150S3	NUG 150	√	1.52m	30-90	Optional	\$3,990	\$4,389
HS-NUG180S3	NUG 180	√	1.83m	36-90	Optional	\$4,495	\$4,945
HS-NUG210S3	NUG 210	√	2.13m	42-100	Optional	\$5,900	\$6,490

## EHDE 180, 210 & 300 Tough all rounder

### RECOMMENDED FOR TRACTORS UP TO 150HP

HOWARD's EHDE Series is a new model variant utilising the body and blade beam from the EHD series together with a market standard transmission (gearbox and friction clutch) to produce a competitively priced slasher. The EHDE maintains all the benefits of the EHD Series body with good under-body clearance and the proven multi-leaf alloy spring steel blade beam.

You can now have the legendary performance of an EHD with a more price conscious entry level spec. 2x pivoting rear wheels are standard on EHD210E and EHD300E.



**FABRICATED GEARBOX  
WITH FORGED  
ONE-PIECE BLADE  
BEAM SPINDLE**



## EHD 180, 210 & 240 Contractor's choice

### UNLIMITED HP RATING

The EHD slasher is the benchmark for all slashers. No other brand has our history of rugged reliability and low running costs. Our confidence in the EHD is backed by an unlimited horsepower rating as the gearbox is fully fabricated from steel and fitted with a forged one piece blade beam spindle. This is all backed up with a TWO YEAR GEARBOX WARRANTY.

A preferred choice for many contractors and municipal users as the EHD is built for optimum safety, performance and service life.

### STANDARD FEATURES

- Complies with the WorkCover Slasher Safety Guide:
  - Extended front and rear apron to protect against foot/blade contact
  - Front chains and rear debris guarding
- Clevis hitch mounting
- 2x pivoting rear wheels are standard on 210, 240 and 300
  - Optional on 180
- Alloy spring-steel blade beam assembly
- Galvanised body
- 5mm body
- Pivoting topmast and chain backstays
- Body is reinforced with full-length tubular gussets on sides
- Adjustable skids with replaceable runner standard on EHD180

PRODUCT CODE	MODEL	OH&S COMPLIANT	CUTTING WIDTH	REC. MAX TRACTOR HP	REAR WHEEL(S)	PRICE EX. GST	PRICE INCL. GST
HS-EHD180ES2	EHD 180E	√	1.8m	70-150	Optional	\$8,770	\$9,647
HS-EHD210ES2	EHD 210E	√	2.1m	85-150	Included	\$11,946	\$13,140
HS-EHD300ES2	EHD 300E	√	2.97m	100-160	Included	\$21,725	\$23,898
HS-EHD180S2	EHD 180	√	1.8m	70-UNLIMITED*	Optional	\$11,890	\$13,079
HS-EHD210S2	EHD 210	√	2.1m	85-UNLIMITED*	Included	\$15,600	\$17,160
HS-EHD240S2	EHD 240	√	2.4m	90-UNLIMITED*	Included	\$16,900	\$18,590

\*Horsepower rating unlimited at 540rpm PTO speed when friction clutch is correctly adjusted.



# RLM ROLLER MOWER

## THE NEXT GENERATION OF MOWERS FROM HOWARD

**DESIGNED FOR GENERAL MOWING IN A WIDER VARIETY OF APPLICATIONS INCLUDING PARKS, SPORTS OVALS, RESERVES, ROADSIDES AND TURF FARMS.**

- Hot dipped galvanised body
- RLM will handle longer grass than competitive mowers
- Convenient transport lock on 237 & 350
- Hydraulic SAFETY lock out on wings of 350

- Debris guards front and rear
- **TWO YEAR GEARBOX AND SPINDLE WARRANTY**
- Easy cleaning openings in body
- SG iron housings on roller bearings

**RLM178**



**RLM237**



**RLM350**



**S2 SPINDLES, HIGHER CAPACITY, LONGER LIFE AND STRONGER ALL ROUND.**


### RLM SERIES ROLLER MOWER

WAISTED HOUSING reduces weight and makes identification of S2 spindle easy.

Additional CAP over top bearing to keep water and debris away from seal lip.

THICKER FLANGE at centre to better resist bending.

HIGHER CAPACITY 6307 bearings will more than DOUBLE the current bearing life. (NTN sealed bearings are the recognised best brand.)



#### RLM S2 SPINDLE ASSEMBLY

Interchangeable/ retro-fittable. Overall dimensions, mounting holes and blade beam fixings all same as the original spindle.



1. RLM unique and convenient transport lock.
2. Improved belt engagement on drive pulleys to reduce slipping in heavier grass conditions.
3. Adjustable rollers provides precision height control. Cutting height indicators for even height settings.

PRODUCT CODE	MODEL	OVERALL WIDTH	CUTTING WIDTH	TRANSPORT WIDTH	REC. MAX TRACTOR HP	CUT HEIGHT	WEIGHT	PRICE EXCL. GST	PRICE INCL. GST
HS-RLM178	RLM178	1.91m	1.78m	1.91m	30-110	0-100mm	460kg	\$8,990	\$9,889
HS-RLM237	RLM237	2.5m	2.37m	2.5m	45-110	0-100mm	725kg	\$12,340	\$13,574
HS-RLM350	RLM350	3.61m	3.49m	2.35m	75-110	0-100mm	1095kg	\$20,390	\$22,429

## AH 4000 SERIES

The range of AH Rotary Hoes are designed specifically for Australian conditions. The strong toolbar style design with rubber hull construction substantially reduces soil build up around the rotor that robs horse power and fuel efficiency. More effective in wetter conditions than competitors machines, AH Rotary Hoes allow growers to work the ground earlier, plant earlier and get to market earlier.



*Pictured with optional cage roller*



*Pictured with optional cage roller*

## CH SERIES

CH Rotary Hoes are designed and built for professionals who rely on machinery for their livelihood. CH Rotary Hoes are legendary for toughness, durability and resale value.

The modular toolbar style frame allows rippers and furrowers to be fitted for a one pass operation.

- ### OPTIONS
1. Paraplough  
Sub Soiler Tines
  2. Rear Wheels
  3. Cage Roller



MODEL	WORKING WIDTH	TRACTOR HP	PRICE EX. GST	PRICE INCL. GST
HO-AH4255	2.55m	100-200hp	\$29,425	\$32,370
HO-AH4305	3.05m	120-200hp	\$32,395	\$35,635
HO-AH4355	3.55m	140-200hp	\$37,990	\$41,789
HO-AH4405	4.05m	160-200hp	\$41,230	\$45,353
HO-CH4420	4.17m	160-300hp	\$69,750	\$76,725
HO-CH4470	4.68m	180-300hp	\$73,750	\$81,125
HO-CH4570	5.7m	225-300hp	\$89,990	\$98,989
HO-CH4620	6.2m	240-300hp	\$91,450	\$100,595

## 2 YEAR WARRANTY ON ALL MASCHIO GASPARDO PRODUCTS

VALID FOR ALL MACHINES SOLD BETWEEN 1/9/2020 UNTIL 31/3/2021

### FEATURES:

Residue mulching is a very important and somewhat tricky phase as it enhances subsequent decomposition processes, helping residues break down into organic matter. The MULCHERS range, catering to the small and large scale needs of farms and farmers, is a winning solution for dealing with grass, brush, crop residue and prunings. Every MASCHIO GASPARDO machine - from the lightest, compact models to the heavy-duty high-performance workhorses - is the product of the experience we have gained over the years. Reliability and high quality are the result of continuous innovation and ongoing research.





## BELLA

MODEL	WORKING WIDTH	MIN/MAX HP	PRICE EX. GST	PRICE INCL. GST
MG-BELLA-190	1.8m	45-100hp	\$10,990	\$12,089

- Units ideally suited for low horsepower tractors
- Fitted with hammer blades for a professional finish
- Self cleaning rear roller for trouble free work
- Double Skin Frame + Counter Blades for a finer chop



Pictured with optional front/rear headstock

## TERMINATOR

MODEL	WORKING WIDTH	HEAD-STOCK	MIN/MAX HP	PRICE EX. GST	PRICE INCL. GST
MG-TERMINATOR-140	1.38m	Fixed	35-80hp	\$6,990	\$7,689
MG-TERMINATOR-180	1.72m	Hyd Shift	55-100hp	\$8,765	\$9,642
MG-TERMINATOR-200	1.92m	Hyd Shift	65-100hp	\$9,250	\$10,175

- General purpose mulcher
- 140 Model: 80 hp Gearbox
- 180-200 Models: 100 hp Gearbox
- Hydraulic side shift on 180 and 200 models
- Counter Blades for a finer chop
- Gearbox PTO 540 rpm with free wheel



Blade kit "10"



140 model with fixed headstock pictured

**NEW**

## CHIARA

MODEL	WORKING WIDTH	MIN/MAX HP	PRICE EX. GST	PRICE INCL. GST
MG-CHIARA-180S	1.85m	50-90hp	\$13,970	\$15,367
MG-CHIARA-200S	2.05m	55-90hp	\$14,900	\$16,390
MG-CHIARA-250S	2.55m	65-90hp	\$16,980	\$18,678

- Wide range of applications; cutting grass, shredding, pruning, etc
- Double skin body combined with double counter knife for ultimate performance
- Moveable headstock
- Standard with flails and rear steering wheels



## TIGRE

MODEL	WORKING WIDTH	MIN/MAX HP	PRICE EX. GST	PRICE INCL. GST
MG-TIGRE-210	2.10m	55-140hp	\$13,750	\$15,125
MG-TIGRE-230	2.26m	60-140hp	\$14,250	\$15,675
MG-TIGRE-300	2.98m	90-140hp	\$15,350	\$16,885

- Wide range of applications; cutting grass, shredding, pruning, etc
- Double skin body combined with double counter knife for ultimate performance
- Moveable headstock
- Standard with hammers and rear roller, optional wheel kit available



## HEAVY DUTY MULCHERS WITH MECHANICAL & OPTIONAL HYDRAULIC OFFSET TORNADO

- High body multi-purpose professional displaceable mulcher
- Standard with flails and rear roller
- Dual drive transmission on Leopard Mulcher

MODEL	WORKING WIDTH	MIN/MAX HP	PRICE X. GST	PRICE INCL. GST
MG-TORNADO-310	3.10m	90-150hp	\$18,990	\$20,889
MG-LEOPARD-320DT	3.20m	140-200hp	\$26,990	\$29,689

**ZERO% INTEREST\***  
**OR ZERO DEPOSIT\*\***  
NOW AVAILABLE



Leopard DT Mulcher pictured

## POWER HARROWS

### FEATURES:


#### Double-skinned construction:

Comprising a double-skinned trough - with a 6mm-thick inner and 5mm-thick outer - MASCHIO GASPARDO harrows feature a stronger, more rigid construction, delivering high performance under all conditions.




#### Stability:

Great clearance between top and bottom bearings, reduced load and less vibration combine to deliver excellent stability.



#### Smooth flowing and powerful:

The closer rotor spacing of just 246mm (12 rotors in 3m) helps spread the torque better, reducing power draw. The rotors' special timing means the tools dig into the soil to be tilled gradually, making it considerably easier for them to work their way through the soil and limiting vibration significantly. Placing rotors at a distance of 246mm from each other - unlike the competition who use wider spacing - results in much better soil finishing.



### DELFINO & DRAGO

- Round blade-holders
- Universal three point hitch
- Rear levelling bar with mechanical central adjuster installed on the roller

MODEL	WORKING WIDTH	MIN/MAX HP	PRICE EX. GST	PRICE INCL. GST
DL-1800C	1.8m	45-100hp	\$11,500	\$12,650
DL-2000C	2.0m	60-100hp	\$12,500	\$13,750
DC-3000C	3.0m	90-150hp	\$20,350	\$22,385



Delfino pictured

## DOMINATOR RAPIDO

MODEL	WORKING WIDTH	MIN/MAX HP	PRICE EX. GST	PRICE INCL. GST
MG-DM-RAPIDO-3000C	3.0m	110-200hp	\$26,450	\$29,095
MG-DM-RAPIDO-3500C	3.5m	120-200hp	\$29,900	\$32,890

- Round blade-holders with quick change blades
- Rear levelling bar with mechanical central adjuster installed on the roller
- Heavy duty gear-tray with double reinforcement
- Rear roller pin adjustment
- Rear PTO



## HYDRAULIC FOLDING POWER HARROWS

- 6mm trough with additional 5mm reinforcement for exceptional strength and reliability
- Convenient hydraulic transport lock, for optimal road safety
- Rotor shaft supported by wide spaced ball bearings
- Standard with cage roller

MODEL	WORKING WIDTH	MIN/MAX HP	PRICE EX. GST	PRICE INCL. GST
MG-FALCO-4600C	4.6m	110-220hp	\$46,490	\$51,139
MG-GABBIANO-5000C	5.0m	140-260hp	\$57,180	\$62,898
MG-AQUILA-B-5000C	5.0m	160-300hp	\$60,990	\$67,089
MG-AQUILA-6000C	6.0m	180-300hp	\$64,740	\$71,214

**NEW**



Falco pictured

## ROTARY HOES

### VIRAT PRO

- PTO shaft with slip clutch
- Side gears drive in oil bath
- Offset front bar hitches

**NEW**



MODEL	WORKING WIDTH	MIN/MAX HP
MG-VIRAT-145	1.45m	45-80hp
MG-VIRAT-185	1.85m	50-80hp
MG-VIRAT-205	2.05m	60-80hp
	PRICE EX. GST	PRICE INCL. GST
MG-VIRAT-145	\$6,390	\$7,029
MG-VIRAT-185	\$6,875	\$7,565
MG-VIRAT-205	\$6,995	\$7,695

### B SERIES

- Gear and chain lateral drive
- Slip clutch protection
- High rotor to body clearance



MODEL	WORKING WIDTH	MIN/MAX HP
MG-B-155	1.6m	45-100hp
MG-B-180	1.85m	50-100hp
MG-B-205	2.10m	60-100hp
	PRICE EX. GST	PRICE INCL. GST
MG-B-155	\$11,990	\$13,189
MG-B-180	\$12,990	\$14,289
MG-B-205	\$13,650	\$15,015

### SC SERIES WITH MULTI SPEED GEARBOX

- Duo cone rotor seals
- Gear lateral drive in oil bath
- High clearance between rotor and top cover



MODEL	WORKING WIDTH	MIN/MAX HP
MG-SC-250	2.60m	100-170hp
MG-SC-300	3.10m	130-170hp
	PRICE EX. GST	PRICE INCL. GST
MG-SC-250	\$21,990	\$24,189
MG-SC-300	\$23,990	\$26,389

## PANTERA L

The Pantera L series of Rotary Hoes has been designed as an entry level Rotary Hoe suitable for all farming practices. It uses many of the design features of the already proven heavy duty Pantera and refined these for a more basic spec folding Hoe. With road transport an issue, the Pantera L is perfect for the farmer wanting to upgrade to a wider hoe and still be road legal. Optional anti-clogging kits are available to help with the more challenging conditions the hoes can sometimes operate in. With a gearbox rated at 320HP it is ideally placed to suit most tractor sizes.

- Central fix PTO shaft and cam clutch side PTOs
- Double side gear drive in oil bath
- Heavy duty spherical roller bearings

**NEW**



MODEL	WORKING WIDTH	MIN/MAX HP	PRICE EX. GST	PRICE INCL. GST
MG-PANTERA-420L	4.2m	220-380hp	\$64,990	\$71,489
MG-PANTERA-470L	4.7m	220-380hp	\$66,990	\$73,689

## PANTERA HYDRAULIC FOLDING ROTARY HOES

- Duo cone seals
- Gear lateral drives in oil bath
- High clearance between rotor and top of cover
- Standard cage roller/optional packer available
- Optional anti clogging insert available

MODEL	WORKING WIDTH	MIN/MAX HP	PRICE EX. GST	PRICE INCL. GST
MG-PANTERA-470C	4.78m	220-380hp	\$79,850	\$87,835
MG-PANTERA-570C	5.78m	260-380hp	\$92,500	\$101,750
MG-PANTERA-620C	6.28m	280-380hp	\$97,450	\$107,195



Pantera pictured with optional packer roller.

## HIGH SPEED CULTIVATION

### VELOCE SPEED DISC

- Maintenance free, grease filled Agri hub bearings
- Adjustable side deflectors and discs ensure a perfect finish in all conditions
- 2 APV models available: 300 & 500 lt
- 510mm individually rubber mounted discs
- Standard cage roller



MODEL	WORKING WIDTH	MIN/MAX HP	PRICE EX. GST	PRICE INCL. GST
MG-VELOCE-200C	2.0m	60-80hp	\$17,850	\$19,635
MG-VELOCE-250C	2.50m	80-90hp	\$21,550	\$23,705
MG-VELOCE-300C	3.00m	100-110hp	\$24,500	\$26,950
MG-VELOCE-350C	3.50m	120-130hp	\$27,500	\$30,250
MG-VELOCE-400C	4.00m	140-150hp	\$29,950	\$32,945

### VELOCE HYDRAULIC FOLDING SPEED DISC

- 3 point hitch CAT 3N ISO
- Hydraulic folding frame
- Rear roller mechanical adjustment
- 510mm individually rubber mounted discs
- Lighting and warning board kit



MODEL	WORKING WIDTH	MIN/MAX HP	PRICE EX. GST	PRICE INCL. GST
MG-VELOCE-400C	4.0m	140-150hp	\$40,790	\$44,869
MG-VELOCE-500C	5.0m	150-200hp	\$45,690	\$50,259
MG-VELOCE-600C	6.0m	180-240hp	\$54,890	\$60,379

### UFO - THE HEAVY DUTY SPEED DISC

- Oil filled cultihubs
- 610mm discs, dampened on vibrating tine
- Over 800kg of weight per meter
- Left and right containment discs




MODEL	WORKING WIDTH	MIN/MAX HP	PRICE EX. GST	PRICE INCL. GST
MG-UFO-250C	2.5m	110-140hp	\$28,450	\$31,295
MG-UFO-300C	3.0m	150-170hp	\$32,990	\$36,289
MG-UFO-350C	3.4m	170-190hp	\$35,990	\$39,589
MG-UFO-400C	4.0m	180-200hp	\$40,990	\$45,089

## UFO - TRAILING HEAVY DUTY SPEED DISC

- 2 rows of independent Ø 610 mm discs, dampened on vibrating fine
- Adjustable side limiter plane discs (left and right)
- Twin rear roller
- Maintenance free "cultihubs"
  - bearings with double rank of opposed spheres
  - oil lubrication
  - waterproof mechanical bearings

MODEL	WORKING WIDTH	MIN/MAX HP	PRICE EX. GST	PRICE INCL. GST
MG-UFO-F-400C	4.0m	160-220hp	\$74,790	\$82,269
MG-UFO-F-600C	6.0m	250-360hp	\$105,750	\$116,325



## APV SEEDERS WITH MULTI SPEED GEARBOX

- Pneumatic seeder with centralized distributor
- Electric or hydraulic fan drive
- Counter plate, calibration bag, scale for seed
- Hopper agitator
- Dosing roller for large seeds
- Dosing roller for small seeds



MODEL	WORKING WIDTH	MIN/MAX HP	PRICE EX. GST	PRICE INCL. GST
APV 300L	3-6m	n/a	\$10,200	\$11,220
APV 500L Electric	3-6m	n/a	\$12,400	\$13,640
APV 500L Hydraulic Fan	3-7m	n/a	\$16,990	\$18,689
Power Harrow APV Mounting Kit	n/a	n/a	\$2,360	\$2,596
Veloce Mounting Kit	n/a	n/a	\$2,100	\$2,310



Control Box 5.2



## DIRECT DRILL / RENOVATE

### GIGANTE PRESSURE

The new Gigante Pressure direct drill has been designed to sow in more challenging conditions. Be it dry/wet or high residue, the seed placement will ensure optimum germination with minimal ground disturbance. This is particularly noticed when direct drilling grass paddocks.

**NEW**

- Individual row units for constant sowing depth in undulating ground
- 6 inch row spacing, single disc with sowing coulter

MODEL	WORKING WIDTH	MIN/MAX HP	PRICE EX. GST	PRICE INCL. GST
MG-GA-GIGTE400-ED26	3.78m	150- hp	\$169,950	\$186,945
MG-GA-GIGTE600-ED40	6.90m	150- hp	\$228,700	\$251,570



Central greasing allows for faster and easier maintenance.

AEF Certified

www.aef-isobus-database.org

ISO BUS controller

Single shot seed and fertilizer distribution system.



New depth gauge wheel for both open and closed operation depending on soil types etc.



Press wheel has independent mount so always improves seed to soil contact.



**10% DEPOSIT**  
 2.49% P.A. OVER 36 MONTHS\*\*\*  
**NOW AVAILABLE**



**ENGINEERED  
TO EXCEED!**

The UNIQUE Aitchison T-Boot has been scientifically designed to create a humidity and moisture trapping 'germination cocoon'. This gives seeds the best possible start.



**ZERO%  
INTEREST\***  
OR  
**ZERO  
DEPOSIT\*\***  
NOW AVAILABLE

## 3000 SERIES GRASSFARMER



- 150mm row spacing
- Unique Aitchison slim line castings and inverted T-boot
- Large 350mm front disc coulters
- Rodent Stop slide mechanism fitted
- Sowing widths of 2.1m - 2.7m

MODEL	SEEDING WIDTH	CAPACITY	# TINES	PRICE EX. GST	PRICE INCL. GST
3014C	2.1m	280lt	14	\$21,490	\$23,639
3018C	2.7m	365lt	18	\$25,190	\$27,709
3018D	2.7m	365lt	18 (Disc)	\$25,190	\$27,709

## 4000 SERIES SEEDMATIC

- 125mm row spacing
- Unique Aitchison slim line castings and inverted T-boot
- Large 350mm front disc coulters
- Rodent Stop slide mechanism fitted
- Sowing widths of 2.5m, 3.0m and 3.5m
- Seed or seed/fertiliser configurations available
- Available in 3-point linkage or trailing



MODEL	SEEDING WIDTH	SEED CAPACITY	FERT CAPACITY	# TINES	PRICE EX. GST	PRICE INCL. GST
4020C	2.5m	625 lt	-	20	\$31,250	\$34,375
4024CT*	3m	780 lt	-	24	\$41,600	\$45,760
4120C	2.5m	450 lt	450 lt	20	\$35,280	\$38,808
4124CT*	3m	540 lt	540 lt	24	\$46,300	\$50,930
4128CT*	3.5m	630 lt	630 lt	28	\$52,400	\$57,640

\*T indicates trailing kit as standard.

## SEEDMATIC AIR PRO MKIII

- Electric drive for auto rate and easy calibration
- Unsurpassed contour following ability
- 3 & 6m sowing widths. 6m folds to 2.8m transport width
- 150mm row spacing
- Seed, fertiliser and optional 3rd box
- A selection of disc openers, tines and rubber rollers ensure excellent germination



Electric drive is now standard on all Air Pro models.

The Aitchison E-Drive Head Unit provides a simple and convenient means of monitoring and controlling your seed drill. The touch screen interface has been designed to efficiently convey all relevant information on the home screen. All functionality is at most a few clicks away, with all the key features directly accessible from the home screen.

MODEL	SEEDING WIDTH	SEED CAPACITY	FERT CAPACITY	# TINES	PRICE EX. GST	PRICE INCL. GST
8124E	3m	700 lt	700 lt	24	\$77,655	\$85,420
8132E	4.8m	1000 lt	1500 lt	32	\$142,750	\$157,025
8140E	6m	1000 lt	1500 lt	40	\$154,490	\$169,939





## **PFG**AUSTRALIA

CULTIVATION, SEEDING AND VEGETATION MANAGEMENT

YOUR LOCAL DEALER:

### CONTACT US TODAY

**QLD & NT:**

Craig Climo 0439 588 962

**VIC, SA & TAS:**

Tom Wilkinson 0484 999 044

**WA & NSW:**

Bill Pocklington 0427 433 473