

ON SALE

15th April - 30th June 2022

Prices include GST, exclude dealer installation and/or freight charges

# Autumn CATALOGUE

**NEW**

## 25L TROLLEY SPRAYER WITH RECHARGEABLE LI-ION BATTERY

- New S Power Lithium Ion battery system is compatible with the WP12-1 backpack sprayer
- 6m delivery hose, spray gun with stainless steel lance & adjustable nozzle
- Up to 3 tanks of spraying per charge
- Includes battery & charger

**\$395**

SP25-TR3



**UP TO  
3 TANKS  
OF SPRAYING PER  
CHARGE**

**Silvan**

**SELECTA**

[silvan.com.au](http://silvan.com.au)

**The Spraying Specialists**

# PROGRADE SPRAYERS

## PROGRADE

The ProGrade range of sprayers are designed for accurate application of chemicals using the adjustable nozzles for spraying from a fine mist to a coarse stream. All are equipped with premium Viton® seals for maximum chemical resistance.



### 1.5L HAND SPRAYER

- Thick walled heavy duty tank with 5 year warranty
- Long lasting chemical resistant seals
- Suitable for liquid and powder agricultural chemicals and disinfectant
- Adjustable nozzle to suit a variety of spraying applications



**\$32**  
190713



### 8L RECHARGEABLE HAND SPRAYER

- Rechargeable battery-operated pump
- No manual hand pumping
- Li Ion battery with 230V battery charger
- Telescopic stainless steel spray lance
- 4 different spray nozzles suitable for a variety of applications



BATTERY POWERED LITHIUM-ION  
**PUMP ZERO**  
TECHNOLOGY

**\$225**  
190712

### 5L, 8L, 15L PROFESSIONAL SPRAYERS

- Thick walled heavy duty tanks with 5 year warranty
- Sprayers can be operated up to 120psi, ideal for distance spraying applications
- Large internal piston, easy operation with maximum performance
- Long lasting chemical resistant seals
- Suitable for liquid and powder agricultural chemicals and disinfectant
- Stainless steel spray lance with lockable trigger
- 4 different spray nozzles, suitable for a variety of applications

FOR USE WITH:



HERBICIDES



FERTILISERS



PESTICIDES

5 LITRE

**\$79**

190548

8 LITRE

**\$99**

190549

15 LITRE

**\$199**

190550



# BACKPACK & PORTABLE SPRAYERS

## 12L RECHARGEABLE BACKPACK SPRAYER

- New S Power Lithium Ion battery system is compatible with the SP25-TR3 trolley sprayer
- Wide shoulder straps with thick fabric material
- Long reach spraygun with lockable trigger, extendable from 600mm to 900mm and adjustable nozzle.
- Adjustable nozzle that allows for a conical fine mist to a pencil straight stream for distance spraying applications
- A flat fan nozzle and air induction nozzle included for drift reduction
- Indicator light to show how much battery life remains



**\$199**

WP12-1



UP TO  
6 TANKS  
OF SPRAYING PER  
CHARGE

## 15L BACKPACK SPRAYER

- 15L UV stabilised poly tank
- Translucent tank with graduated fill markings and carry handle when empty
- Large lid and strainer for quick filling
- Thick padded shoulder straps for user comfort
- Piston pump with left or right handed operation and ergonomic hand grip



OPTIONAL BOOM (WP2-T \$29)

**\$99**

KN15D-2



## 13L RECHARGEABLE TROLLEY SPRAYER

- Rechargeable Lithium-Ion battery with battery charger
- No manual hand pumping
- 3 hour battery charging time
- Telescopic spray lance (800mm to 1150 mm)
- Adjustable nozzle that allows for a conical fine mist to a pencil straight stream for distance spraying applications

**NEW**



CONVENIENT ON/OFF SWITCH

UP TO  
3 TANKS  
OF SPRAYING PER  
CHARGE



OPTIONAL BOOM (WP2-T \$29)

**\$215**

TR13-B



**NEW**

## TWO NOZZLE T BAR BOOM

- 40cm wide T boom to achieve 80cm wide spray swath (with boom 40cm off the ground)
- Two flat fan nozzles with strainers to minimize nozzle blockage
- Fits KN15D-2, WP12-1, TR13-1 and TR13-B sprayers

**\$29**

WP2-T

## 20L RECHARGEABLE UPRIGHT TROLLEY SPRAYER

- Portable sprayer with its own 12V battery
- Heavy duty construction frame with removable handle
- Impact resistant polyethylene UV stabilised tank
- 240V battery recharger
- Smoothflo 12V diaphragm pump max 7L/min open flow 120psi
- Pressure regulator to accurately apply chemicals
- Spotjet 600mm stainless steel lance with 6m hose and adjustable nozzle



**\$899**

TR25-2

UP TO 3 TANKS OF  
SPRAYING PER CHARGE



Prices include GST, exclude dealer installation and/or freight charges



# 12V SPRAYERS & ACCESSORIES

## REDLINE REDLINE

The Redline range of 12V sprayers are the most feature packed economical sprayers in Australia. Ideal for weed control, spot and fence line spraying, they fit neatly onto the back of most quad bikes, UTV's and utility style vehicles.



SPRAY SHIELD INCLUDED



MEASURING JUG INCLUDED

### REDLINE SPRAYERS

#### - 25L, 55L, 100L

- UV stabilised polyethylene tank with 1" drain plug for easy cleaning and emptying
- 6m of delivery hose
- Spray gun with 550mm stainless steel lance and adjustable nozzle, clips easily to tank
- Lid retaining ring to prevent accidental loss

### REDLINE TRAILER KITS

Converts a 55L or 100L Redline into a trailed sprayer for spraying larger areas



**\$179**  
TR55

**\$259**  
TR100

### BOOMLESS NOZZLE KITS

Adapts a trailed 55L or 100L Redline into a boom sprayer with the nozzle matched to the pump.



**\$179**  
TR55-10



PICTURED: 100L REDLINE WITH OPTIONAL 15M RETRACTABLE HOSE REEL

25L  
12 VOLT  
**\$249**  
SP25-R1

25L  
RECHARGEABLE  
**\$269**  
SP25-B

55L  
12 VOLT  
**\$289**  
SP55-R1

100L  
12 VOLT  
**\$489**  
SP100-R2

25L: 2.6L/min open flow, 3.3 Bar/50psi max pressure  
55L: 2.6L/min open flow 3.3 Bar/50psi max pressure  
100L: 5.3L/min open flow 4 Bar/60psi max pressure

## SPOTPAK

Ideal for weed control, spot & fence line spraying applications. The Smoothflo SpotPak Sprayer Series delivers constant flow, no pulsation and the highest pressure for distance spraying. Suitable for use with side by sides, utes, trays & trailers, with UV stabilised Polytuff tanks to ensure long life.

### 12V SMOOTHFLO SPOTPAK SPRAYERS

- 7L/min (open flow) 8 Bar/120psi max pressure
- Pump is recessed within tank for protection
- Spotjet spray gun with 600mm stainless steel lance & adjustable nozzle with tank clips for neat and easy spray gun storage
- 6 metres of 8mm delivery hose
- Drain plug 3/4" for easy clean and empty
- Non-spill lid, in-built carry handles
- 3 metre battery cable with alligator clips
- Can be used with up to 30m of 10mm hose

#### FREE SAFETY KIT



CHEMICAL GLOVES (SCP4000) & COVERALLS (SCP8010)

50L  
**\$629**  
SP50-S7

100L  
**\$779**  
SP100-S7

200L  
**\$899**  
SP200-S7



Constant Flow Technology  
NO PULSATION!



SEE MORE

### TOWBAR PAK BOOM

- Galvanised 50 x 50mm to suit Hayman Reese type towbar socket
- 1.5m stainless steel spray tube, 2m spray width
- 5 height adjustment settings
- Supplied with connecting delivery hose and on/off tap



**\$610**  
RP1-20

### TOWBAR BOOMLESS NOZZLE



**\$249**  
RP1-34

# TRUKPAK

Professional self contained space saving sprayers favoured for their flexible range of options and industrial design to fit to either utilities, trailers, carryalls, UTV or Side by Sides. Ideal for both pest control and on farm spraying applications.

## 200L PROFESSIONAL TRUKPAK SPRAYERS

- Boomless nozzles and small booms can be added to reduce spray time.
- Smoothflo pulsation free pump 7L/min open flow max pressure 8 Bar/120psi
- PA spraygun with 500mm lance and a range of nozzles for distance and close spraying applications

4 MOUNTING POSITIONS FOR HOSE REEL



30m MANUAL REEL  
**\$1,389**  
TK200-S7C-1  
1050 L x 580 W x 535 H (mm)



15m RETRACTABLE REEL  
**\$1,459**  
TK200-S7C-2  
1050 L x 580 W x 535 H (mm)

## TOWBAR PAK BOOM

- Galvanised 50 x 50mm to suit Hayman Reese type towbar socket
- 1.5m stainless steel spray tube, 2m spray width



**\$610**  
RP1-20

## TOWBAR BOOMLESS NOZZLE



**\$249**  
RP1-34

## 100L PROFESSIONAL UTEPAK SPRAYER

- UV stabilized polytuff tank with 6mm brass inserts on base for easy mounting
- 12V Aquatec premium quality Smoothflo pulsation free pump 7L/min open flow or max 8 Bar/120psi
- 15m retractable hose reel, and Spotjet spraygun



**\$1,269**  
UP100-S7-2

## 200L PROFESSIONAL TRUKPAK SPRAYERS (FITTED WITH PRESSURE REGULATOR)

- 12V Aquatec premium quality pump 14L/min open flow or max 4 Bar/60psi (DDP-555)
- Pressure regulator and gauge, that allows operators to adjust pressures when spot spraying or boom spraying
- Large 1 1/4" drain outlet for easy empty and clean
- Inline filter with viewing bowl



TWIN BOOMLESS NOZZLE  
**\$1,489** **\$1,719**  
TK200-S10R TK200-S10BR

## 200L HI PRESSURE PROFESSIONAL TRUKPAK SPRAYERS

- Premium quality Aquatec HI pressure pump 5L/min, max pressure 13 Bar/200psi
- Jetpro spraygun, adjustable by the trigger for distance and close spraying applications
- 4 brass inserts in the bottom of the tank for permanent fixing to a tray
- 3m wiring harness with alligator clips to connect to the 12 volt power source
- Available with 30m manual Eco reel or 15m retractable reel



30m MANUAL ECO REEL  
**\$1,750**  
TK200-S9-1  
1050 L x 580 W x 930 H (mm)



15m RETRACTABLE REEL  
**\$1,750**  
TK200-S9-2  
1050 L x 580 W x 980 H (mm)

UP TO 11 METRES SPRAYING

HIGH PRESSURE PUMP

4 MOUNTING POSITIONS FOR HOSE REEL



**SELECTA**

**SILVAN**

# SQUATPAK SPRAYERS

## MOTORISED SQUATPAK SPRAYERS

- Available in 300L & 400L
- Baffled Poly tank to reduce surge when travelling
- Eco hosereel with 30m x 10mm hose & adjustable Atomiser spray gun
- Honda GX120 and MC20/20 Italian diaphragm pump
- Max pressure 20 Bar/290psi, open flow 18.5L/min



300L  
**\$4,532**  
L03H2-34-1

1080 L x 1030 W x 890

400L  
**\$4,631**  
L04H2-34-1

1080 L x 1030 W x 1010 H (mm)



PICTURED: 300L MOTORISED SQUATPAK WITH OPTIONAL RP1-33 BOOM

### 4m TOWBAR BOOM



**\$1,680**  
RP1-33

### TOWBAR BOOMLESS NOZZLE



**\$249**  
RP1-34

## SMOOTHFLO SQUATPAK PROFESSIONAL SPRAYERS

- Available in 300L & 400L
- 7L/min, 8 Bar/120psi premium quality 12 Volt Aquatec pump
- UV stabilized Polytuff tank with internal baffle to reduce surging
- Large drain outlet for easy empty and clean
- Large screw down lid with 255mm strainer basket
- 300L Model: 30m hose reel x 10mm agricultural delivery hose and Atomiser spray gun
- 400L Model: PA series spray gun with 500mm stainless steel extension lance, flat fan and hollow cone nozzles supplied

Constant Flow Technology  
NO PULSATION!



PICTURED: SQ300-S7-1

300L  
**\$1,760**  
SQ300-S7-1

930 L x 1090 W x 890 H (mm)

400L  
**\$1,799**  
SQ400-S7-1

930 L x 1090 W x 890 H (mm)



### TOWBAR PAK BOOM

- Galvanised 50 x 50mm to suit Hayman Reese type towbar socket
- 1.5m stainless steel spray tube, 2m spray width



**\$610**  
RP1-20

### TOWBAR BOOMLESS NOZZLE



**\$249**  
RP1-34

## HI CAPACITY SQUATPAK PROFESSIONAL SPRAYERS

- Available in 300L & 400L
- Aquatec high capacity 20L/min (open flow) or 4 Bar/60psi
- Pressure regulator and gauge fitted, that allows operators to adjust pressures when spot spraying, boomless nozzle spraying or boom spraying
- Rated for continuous duty for pressure up to 60 psi
- PA series spray gun with 500mm stainless steel extension lance, flat fan and hollow cone nozzles supplied
- 30m hose reel x 10mm agricultural delivery hose



300L  
**\$1,950**  
SQ300-S8-1

930 L x 1090 W x 890 H (mm)

400L  
**\$1,999**  
SQ400-S8-1

1060 L x 900 W x 1010 H (mm)



PICTURED: SQ300-S8-1

### HI-FLOW BOOMLESS NOZZLE KIT



**\$175**  
M99-75B

### TOWBAR BOOMLESS NOZZLE



**\$249**  
RP1-34

### TOWBAR PAK BOOM



**\$610**  
RP1-20

# SPECIALTY SPRAYERS

**LONG RANGE REMOTE SYSTEM**





**300L** **\$10,900**  
L03H4-42R147  
1020 L x 1340 W x 970 H (mm)

**400L** **\$10,999**  
L04H4-42R147  
1200 L x 1850 W x 750 H (mm)

**BAFFLED TANK**

**SINGLE REEL (PICTURED)**

**\$10,999**  
L04H4-42R147  
1200 L x 1850 W x 750 H (mm)

**TWIN REEL**

**\$15,879**  
L04H4-42R147T  
1200 L x 1850 W x 750 H (mm)

**600L** **\$11,110**  
L06H4-42R147  
1200 L x 1850 W x 750 H (mm)

**SINGLE REEL**

**\$11,110**  
L06H4-42R147  
1200 L x 1850 W x 750 H (mm)

**TWIN REEL**

**\$16,099**  
L06H4-42R147T  
1200 L x 1850 W x 750 H (mm)

**REMOTE CONTROL SKID SPRAYERS**

- Available in 300L, 400L (baffled) and 600L; fitted to galvanised skid
- Australian made remote control hose reel
- Honda engine and Comet APS41 pump
- 38L/min (open flow) 40 Bar/580psi max pressure
- 100m Smoothline hose and Turbo 400 spray gun

[SEE MORE](#)



PICTURED: 400L MODEL



**50L QUAD BIKE SPRAYER**

- 5.3L/min open flow Pak pump, 4 Bar/60psi max pressure
- Spotjet spraygun with 500mm stainless steel lance and adjustable nozzle
- Chemical resistant Viton valves & thermoplastic polyurethane diaphragms
- Suitable for use with boomless nozzle **M99-65** (pictured), sold separately

**50L**  
**\$645**  
RP50-P1



**70L RAKPAK PLUS SPRAYERS**

- UV stabilised polytuff tank 70L capacity with internal baffle
- Spotjet spray gun with 500mm stainless steel lance and adjustable nozzle

**\$990** **\$1,249**  
RP70N-S7 RP70N-S10

**BAFFLED TANK**

- RP70N-S7** Features a Aquatec Smoothflo 7L/min (open flow) pump with constant flow technology for no pulsation spraying 8 Bar/120psi max pressure
- RP70N-S10** Features an Aquatec14L/min open flow pump 4 Bar/60 psi. The higher flow is ideal for boom spraying. A pressure regulator is recommended for low flow spot and boom spraying

**7.4m FULL SPRAY REACH**

**200L**  
**\$1,999**  
K02A



**300L - 6m BOOM**  
**\$4,255**  
K03A-19B



**300L**  
**\$2,820**  
K03A



**TRAYLINK SPRAYERS - 200L & 300L**

The Traylink sprayers eliminate the need for a PTO connection for small to medium boom spraying. The frames (CAT1) can be fitted to small HP tractors, utilities, side by sides and trailers and only require a 12 volt connection for the high capacity pump.

- Twin boomless nozzle up to 7.4m spray coverage (3.7m single side)
- 6m hose, Spotjet spraygun with adjustable nozzle
- Pressure regulator with pressure gauge for control and agitation
- Spotjet spraygun with adjustable nozzle and 6m of 12mm ID delivery hose

# TRAILED SPRAYERS

## 12V 200L LIGHTFOOT TRAILED SPRAYER

- Smoothflo pulsation free pump, 7L/min open flow, max pressure 8 Bar/120 psi
- PA spray gun with 500mm lance and a range of nozzles for distance and close spraying applications
- Powder coated steel chassis
- Extendable drawbar (0-400mm)
- 25mm solid steel axle and rims with 4 ply tyres

**NEW**

**\$2,300**  
LT20-S7



## BRASS BOOMLESS NOZZLE KIT



**\$199**

Extra hose required: 186-12C

M99-65

## 30M ECO HOSEREEL



**\$390**

TK200-REEL

## 12V 300L LIGHTFOOT TRAILED SPRAYERS

- Aquatec pump 20L/min open flow, max 60 psi, with pressure regulator
- Solid steel axle with Mud Puppy tyres for extra stability
- Parking stand and adjustable drawbar
- Wiring harness with in-cabin on/off switch box

### MODEL LT30-S8-2

- 4m cross fold boom with breakback facility
- Air induction nozzles to reduce drift
- 30m Eco hosereel with an adjustable Atomiser spray gun

### MODEL LT30-S8-1

- Boomless nozzle, maximum spray width 7.4m
- 6m hose and adjustable spotjet spraygun



### BOOMLESS NOZZLE MODEL



**\$4,490**  
LT30-S8-1



### CROSS FOLD BOOM

**\$4,999**

LT30-S8-2

## 300L MOTORISED LIGHTFOOT TRAILED SPRAYERS

- Italian MC20/20 Diaphragm pump direct coupled to a GX120 Honda Engine
- 18.5L/min open flow, 20 Bar/290 psi maximum pressure
- Solid steel axle Mud Puppy tyres for extra stability
- Parking stand and adjustable drawbar
- Wiring harness with in cabin on/off switch box

### MODEL LT30-34-3

- 6m galvanised boom with air induction nozzles to reduce drift
- 30m Eco hosereel with an adjustable Atomiser spray gun



6m SPRAY WIDTH  
**\$7,620**  
LT30-34-3

### MODEL LT30-34-2

- 4m cross fold boom with breakback facility
- Air induction nozzles to reduce drift
- 15m retractable hosereel with an adjustable Atomiser spray gun

### MODEL LT30-34-H

- Vine boom with telescopic side arms
- Adjustable brass nozzle bodies with ceramic nozzles
- 5 nozzles per side with independent shut off facility



4m SPRAY WIDTH  
**\$7,330**  
LT30-34-2



VINE SPRAY BOOM  
**\$6,179**  
LT30-34-H



# SPRAY BOOMS

## TOWBAR BOOMLESS NOZZLE

- Towbar boom with boomless nozzle (suits-UTV/side by sides)
- Up to 7.4m spray swath
- Compatible with Hayman Reese towbar
- 7L/min required to operate

**NEW**

**\$249**  
RP1-34

## NEW 4m TOWBAR CROSSFOLD BOOM

- Galvanised frame with Hayman Reese type connection
- 4m cross fold boom with break back facility
- Stainless steel spraybars, non-drip modules with air induction nozzles to assist with drift reduction
- In-cab on/off switch with Goyen solenoid to control spray boom

4M SPRAY WIDTH  
**\$1,680**  
RP1-33



## TOWBAR PAK BOOM

- Galvanised 50 x 50mm to suit Hayman Reese type towbar socket
- 1.5m stainless steel spray tube, 2m spray width
- 5 height adjustment settings
- Supplied with connecting delivery hose and on/off tap
- Suits UTVs and Side By Sides



OPTIONAL FENCELINE  
KIT (M99-78) \$XXX

**\$610**  
RP1-20

## 3m & 4m CROSS FOLD BOOM

- Multi-function mounting brackets to suit various applications
- Break back device protects boom if an obstruction is hit
- Adjustable height and quick fold mechanism
- Non-drip nozzle assemblies
- Mounting brackets supplied
- Stainless steel spraylines

3m SPRAY WIDTH  
**\$1,089**  
RP1-25

4m SPRAY WIDTH  
**\$1,270**  
RP1-26




PICTURED: RP1-25

# SPRAY ACCESSORIES

## FENCE LINE KIT - TWIN PACK

- Ideal for fence line spraying, firebreaks etc
- Connects to both 1/2" BSP male & female spray bars
- Adjustable spray direction 360 degrees



**\$199**  
M99-73

## NON-DRIP NOZZLE HOLDERS



1/2"  
**\$90**  
AR-200 (4 PACK)

3/4"  
**\$99**  
AR-210 (4 PACK)

## BOOMLESS NOZZLE WITH EXTRA WIDE FLAT SPRAY PROJECTION



**\$710**  
5880-3/4-2TOC20

## ATV BOOMLESS NOZZLE KIT

Ideal for applications where a conventional boom cannot be used due to obstacles, such as power poles, guardrails, fences, trees, etc.



**\$175**  
M99-75B

## FENCE LINE KIT - TWIN PACK

- Ideal for fence line work. Mounts on the end of boom (minimum boom height 500mm)
- 1/2" BSP male connection with nozzle swivel and on/off tap



**\$195**  
M99-72

## NON DRIP BRASS NOZZLE

Brass flip over nozzle fitted with anti-drip valve with viton diaphragm. Anti-drip valve opens at 1 Bar pressure. 1/4" BSP thread, all brass construction, ceramic tips, stainless steel swirl plates, 90° shut off.



**\$99**  
MA3-66

## TPL BOOMLESS NOZZLE

Specifically designed for a 3 point linkage unit running between 30 and 60 psi spraying pressure. It can spray up to 9.6 metres wide and is available with an optional mounting bracket.



**\$299**  
M99-76

## BRASS BOOMLESS NOZZLE KIT WITH SINGLE OR DOUBLE SIDED SWATH



SIZE 02  
**\$199**  
M99-65

SIZE 05  
**\$210**  
M99-66

# SPRAY NOZZLES

## 2,4-D COMPLIANT NOZZLES TURBO TEEJET INDUCTION (TTI)

- Pressure range 1-7 Bar
- Removeable orifice
- Produces ultra coarse droplets for 1-3.5 Bar



**\$27**  
TTI110\*\*\*VP

## AIXR AIR INDUCTION NOZZLES

- Pressure range 1-6 Bar
- Made of a two-piece polymer construction
- Excellent chemical resistance, including acids, as well as exceptional wear life
- Ideal for drift reduction



**\$1750**  
AIXR110\*\*\*-VP

## CFA AIR INDUCTION NOZZLES

- Pressure range 1.5 to 8 bar
- Made of Delrin material to assist with exceptional wear life
- Compact size to prevent tip damage and removable pre-orifice for cleaning
- Ideal for drift reduction



**\$925**  
CFA110xx



Prices include GST, exclude dealer installation and/or freight charges



# SPRAY ACCESSORIES

## GE057 SPRAY GUN



**\$80**  
410-57

**MAX PRESSURE**  
20 BAR (290psi)

## SILVAN ATOMISER SPRAY GUN



**\$129**  
410-52

**MAX PRESSURE**  
40 BAR (580psi)

## TURBO 400 SPRAY GUN



**\$235**  
401-26BRQS

**MAX PRESSURE**  
50 BAR (725psi)

## TRIGJET SPRAY GUNS




500mm  
**\$95**  
410-61

**MAX PRESSURE**  
30 BAR (435psi)

150mm  
**\$89**  
410-60

## SILVAN JETPRO SPRAY GUN



**MAX PRESSURE**  
40 BAR (580psi)

**\$170**  
410-53

## VARIJET SPRAY GUN MKII

- Spray pattern changes by rotating gun barrel



**\$269**  
410-43

**MAX PRESSURE**  
40 BAR (600psi)

## 10m RETRACTABLE HOSEREEL

- 10m of 8mm delivery hose & hose stop
- 1.5m inlet hose with 1/4" BSP M connectors
- Swiveling steel mount bracket
- Spring rewind with multi position latching



**\$180**  
180L01008A

## 15m RETRACTABLE HOSEREEL

- 15m of 10m delivery hose & hose stop
- 1m inlet hose with 1/4" BSP M connectors
- Swiveling steel mount bracket
- Spring rewind with multi position latching



**\$235**  
180J1510A

## 30m ECO HOSEREEL

- Powder coated steel
- Supplied with 30m of 3/8" ag hose
- Lockable hub with locking pin
- Common foot print suits 300L Lightfoot and 400L/800L Squatpak tanks



**\$340**  
180G03010B

## 30m ECO HOSEREEL WITH ATOMIZER SPRAY GUN

- Powder coated steel
- Supplied with 30m of 3/8" ag hose
- Lockable hub with locking pin
- Atomizer spraygun
- Common foot print suits 300L Lightfoot and Squatpak tanks



**\$385**  
180G03010C

## FOAM MARKERS

Designed for the spray operator to have a visual reference of the areas sprayed with a boom.

### 14L single side model - 042M

- 12V fully sealed, dust free compressor
- 10m delivery hose
- Ideal for ATV bikes & Side by Sides

**\$999**  
042M

### 16L double-side model - 042D-16RLSG

- 12V fully sealed, dust free compressor
- Ideal for spray tanks up to 800L capacity
- 36m of hose

**\$1,089**  
042D-16RLSG



## MATRIX 430 GPS GUIDANCE SYSTEM

Use GPS technology to help guide tractors and machinery for optimal application when boom spraying to minimise spray overlap/underlap.

- High-contrast, full colour, 4.3in / 110mm graphic touch screen display provides superior visibility in bright light conditions

**\$3,099**  
6D430-GLO-P-L



MATRIX 430 KIT, PATCH ANTENNA, LIGHTER CONNECTOR ALSO HAS A USB PORT. USES FREE SBAS SIGNAL



# SPRAYER CONTROLS

## 3 SECTION ELECTRIC SOLENOID KIT

Suitable for most brands of 12 volt sprayers, motorised skid sprayers and linkage units with booms.



**\$1,045**  
M99-14SRLG

## GOYEN ELECTRIC SOLENOID VALVES

Comprises a nylon body with either 1/2" x 1/2" barb, or 1/2" barb x 3/4" BSP thread, and is a servo-assisted solenoid.



**\$145**  
042-1-ST2-HR

**\$145**  
042-1-ST-HV

**\$145**  
042-1-ST2-6R

## 3 OUTLET CONTROL

3 outlet control, pressure regulator, bypass valve, gauge. Manufactured from Rilsan plastic. Controls include remote mount kit (C5004-05)



**\$599**  
C1204-034R

## 4 OUTLET CONTROL

One lever 4 outlet control shuts all boom sections off by simply flicking main lever to one side, standard with dual stage gauge. Supplied with remote bracket kit (C5004-05)



**\$975**  
C1204-332

# 12V & PTO REPLACEMENT PUMPS

## AQUATEC 12V SMOOTHFLO PUMP

- 7L/Min open flow, 8 Bar/120psi max pressure
- Viton valves, Santo diaphragm
- 3/8" BSP female ports
- Constant flow technology. Pulsation free



**\$279**  
DDP-552A

**IDEAL FOR SPOT AND SMALL BOOM SPRAYING**

## AQUATEC 12V MEDIUM CAPACITY PUMP

- Mid capacity pump is suitable for small and medium booms, high volume spot spraying and transfer applications.
- 14.0L/min or 4 Bar/60psi max
- Supplied with 5D connections: 2 x 12mm tails & 2 x 1/2" BSP



**\$349**  
DDP-555

## AQUATEC 12V HIGH CAPACITY PUMP

- Viton valves, Santo diaphragm
- 20L/min open flow, 4 Bar/60psi max pressure
- Supplied with 5D connections: 2 x 1/2" and 2 x 3/4"



**\$529**  
DDP-550

**IDEAL FOR SMALL BOOM SPRAYING**

## SHURFLO 8000 12V PUMP

- 6.8L/min open flow, 4 Bar/60psi max pressure
- Viton valves, Santo diaphragm
- 1/2" BSP male ports



**\$269**  
361-8000

## SHURFLO 2088 12V PUMP

- 11.3L/Min open flow, 3 Bar/45psi max pressure
- Viton valves, Santo diaphragm
- 1/2" BSP male ports



**\$379**  
361-2088

## SILVAN 12V PAK PUMP

- The 381-2000 is the ideal mid-range pump for spot spraying applications or small boom spraying.
- 5.3 L/min open flow
- 7.3 Amps



**\$239**  
381-2000

## SILVAN 12V PAK PUMP

- This larger flow rate pump is ideal for boom spraying or fluid transfer applications.
- 12.5 L/min open flow
- Supplied with filter as pictured
- 7.0 Amps



**\$249**  
381-125

## SILVAN 12V PAK PUMPS

Ideal for spot spraying applications where a single nozzle is used.

- 2.6 L/min open flow
- 381-35 with male threaded connectors to suit Redline 25L and 55L spray tanks
- 381-38 with 8mm barb inlet/outlet



**\$95**  
381-38

**\$95**  
381-35

## SILVAN 60/20 PTO PUMP

- 58 L/Min open flow, 20 Bar/290psi max pressure
- Supplied with hose connections and mounting base plate
- 1 3/8" six splined shaft



MADE IN ITALY

**\$1,290**  
CBP06020



## SILVAN 125/20 PTO PUMP

- 12L/min open flow, 20 Bar/290psi max pressure
- Supplied with hose connections and mounting base plate
- 1 3/8" six splined shaft



MADE IN ITALY

**\$1,930**  
CBP12520



## FERRONI NYLON ROLLER PUMP

These compact self-priming pumps can be quickly fitted direct to the PTO of any 540 RPM tractor to meet your water spraying or transfer needs.

**\$815**  
ML125



# POLY TANKS



100L  
**\$450**  
430-100S



300L  
**\$1,030**  
430-0300E



2200L  
**\$3,299**  
430-2200



200L  
**\$650**  
430-0200A



400L  
**\$1,099**  
430-0400E



1100L  
**\$1,929**  
430-1000U



200L  
**\$650**  
430-0200AW



600L  
**\$1,200**  
430-0600E



800L  
**\$1,730**  
430-0800E



# FIREFIGHTING & DUST SUPPRESSION

## 1100L DUST SUPPRESSION UNIT

Silvan 1100L Dust Suppression Unit is an all in one unit that offers 4 different applications, including fire fighting, water transfer, watering trees and dust suppression.

- UV stabilised Polytuff tank with internal baffle to reduce surge when travelling
- Galvanised skid frame with forklift tracks
- Honda GX160 with Davey pump
- Hosereel with 30m of 3/4" delivery hose & adjustable nozzle

### Dust suppression nozzle

- Brass construction
- Up to 15m spray width at 1m height
- Approx 50L/min
- Approx 20 min run time



**\$5,499**  
SLF1000D-3

**NEW**



## 400L SILVAN HONDA DAVEY FIREFIGHTERS

- 4 stroke 5.5HP Honda powered engine
- Davey fire fighter pump 5155H baked polyester powder coated centrifugal pump with a marine grade single impellor
- 80psi max pressure, 425L/min open flow
- Tie down points moulded into the top of the tank

30m HOSEREEL

**\$3,995**

SLF400D-1

1080 L x 930 W x 980 H (mm)



## 600L SILVAN HONDA DAVEY FIREFIGHTER

- WITH SKID FRAME

- 4 stroke 5.5HP GX160 Honda engine, direct coupled to impellor Davey pump
- Hosereel fitted with 30m 3/4" ID hose and adjustable Poly nozzle
- 80psi max pressure or 425L/min open flow

**\$4,499**

SLF600D-1

1720 L x 1350 W x 910 H (mm)



FACTORY FITTED DAMFILL KIT

# ON FARM SECURITY

## SMART WIFI CAMERA

This compact Wifi camera is ideal for recording real-time video and supports video playback with a variety of recording modes. You can watch the surrounding environment up to 10 metres away from the camera on your phone.

- Day and night use with IR (infrared) LED for night vision



**\$99**

SECURE07

## V60 MOTION ACTIVATED SECURITY CAMERA

- Records pictures and videos with date stamp
- High clarity 12MP camera
- Day and night use



**\$249**

SECURE06



## MOTION ACTIVATED SECURITY CAMERA WITH 120° VISION

- Records pictures and videos with date stamp
- Day and night use with no-glow night vision
- Internal screen for image review and setup
- IP54 water and dust resistant for outdoor use



**\$419**

SECURE120

## RECHARGEABLE MOTION SENSING LIGHT

**NEW**

- Motion sensing at night
- USB Charging
- Magnetic attachment
- 2 Light settings: permanently on or motion sensing at night
- 14 surface mounted LEDs
- Remains on up to 25 seconds after triggered



**\$25**

LIGHT-44

## WIRELESS MAGNETIC DRIVEWAY SENSOR

- Probe senses movement, such as vehicles, and sounds the alarm in the receiver
- Transmits up to 800m in line of sight
- Wall mountable sensor is battery operated



**\$499**

SEC-ALERT6



## DRIVEWAY WIRELESS ALARM KIT

- Detects movement of animals, people and vehicles
- 4 zones - each zone can pair 4 sensors (16 total)
- Detection range up to 12 meters
- Swivel mount on sensor
- Kit includes:  
1 x Receiver  
1 x Sensor  
1 x Sun shade  
1 x Power supply



**\$299**

SEC-ALERT3

EXTRA SENSOR

**\$150**

SEC-ALERT4

# RURAL LIFESTYLE

## HEAVY DUTY LOCKABLE CARRYALL CAGES

Secure transport of equipment & animals

- TC8009-7: 1020 L x 670 D x 820 H
- Mounting points for ute trays
- DIY assembly required



**\$349**  
TC8009-7

- TC8009-5: 1400 L x 700 W x 840 H (mm)
- DIY assembly required



**\$519**  
TC8009-5

## ANIMAL ENCLOSURE

Designed for small pets.

- Fully galvanised steel and chain link 390 L x 220 W x 182 H (mm)
- DIY assembly required



**\$495**  
TC8009-2

## MULTI-PURPOSE PET ENCLOSURE

- Enclosure can be installed in various shapes and sizes
- DIY assembly required



**\$199**  
TC8009-4 2400 L x 750 W x 800 H (mm)

## POLY TRAY CART

- Draw-bar & universal hitch pin for ride-on mower attachment
- Tray tilts for easy loading or unloading of contents
- Pneumatic wheels with steel rims

**DIY ASSEMBLY REQUIRED**

**\$319**  
TC3080PL

2100 L x 1280 W x 700 H (mm)



## LARGE STEEL MESH CART

- Easy convert powder coated steel handle for push or tow arrangement
- Durable 200kg load steel mesh tray
- Large 13" x 4" pneumatic wheels on steel rims
- Robust powder coated hammertone steel frame

**DIY ASSEMBLY REQUIRED**

**\$229**  
BBGC1010

1150 L x 590 W x 260 H (mm)



## 4' GALVANISED CARRYALL

- All round farm use for carrying various items such as fertiliser, fencing equipment, firewood, tools and spot sprayers etc.
- CAT I three point linkage
- Maximum weight capacity: 400kg

**\$649**  
155SF16RLG



## SELECTA HEAVY DUTY WHEELBARROW

- Heavy duty trade quality wheelbarrow.
- UV treated polyethylene tray for strength & durability
- 100L capacity

**\$259**  
BB68



## FLAT-FREE HAND TROLLEY

- Fully welded hammertone industrial finish frame for maximum strength & durability.
- 10" solid, puncture proof flat-free wheels
- Easy fold down platform for carrying large items

**\$69**  
HT158



## R150 SPREADER

The trailed R150 ATV spreader is ground driven and designed for spreading fertiliser on sporting fields, lawn and pasture. It is ideal for towing behind compact tractors, side by side vehicles or ride on mowers.

- Two piece cast gearbox with constant drive
- 6.00 x 15" pneumatic tyres



**\$2,035**  
BMC-R150RLG



Spread 2-10m



Hopper 110L

## 12V 60L ATV FERTILIZER SPREADER

- On/off power switch to motor
- Metering disc controls discharge rate from hopper, gate lever switches flow from hopper on and off
- 12m maximum throw
- Suitable for ride-on mowers



**\$599**  
SP60-10



# DIESEL TRANSFER & ACCESSORIES

**DieselCUBE**

**FREE HEADLAMP**  
LIGHT-38  
RRP \$42

YouTube

**40L/MIN OPEN FLOW**

**200 LITRE**  
**\$1,299**  
SDDS200-7  
800 L x 660 W x 625 H (mm)

**400 LITRE**  
**\$1,899**  
SDDS400-7  
1100 L x 960 W x 660 H (mm)

**600 LITRE**  
**\$2,099**  
SDDS600-7  
1140 L x 1350 W x 675 H (mm)

ALL MODELS

BAFFLED TANK

## DIESELCUBE - 200L, 400L & 600L

Designed for most well body utilities such as Ford Ranger, Toyota Hilux, BT-50, Triton, Nissan Navara, Isuzu Demax and VW Amarok.

The height of the Dieselcube makes diesel transfer effortless in these vehicles. All Dieselcube models have an internal baffle to reduce surge when travelling.

- Polytuff tank with fork pockets to allow operators to move the tank (when empty)
- Heavy duty lockable cover with stand to assist when operating
- 12V Selecta Power 40L/min open flow pump with internal suction filter
- 4m 3/4" delivery hose & auto shut-off trigger
- Tank level indicator (400L & 600L)
- 3m wiring harness with alligator clips for 12V connection crimped fittings
- 4m wiring harness with alligator clips
- Low profile design for clear rear view from utility
- Each tank is baffled to reduce surge when traveling

**DieselPower**

**FREE HEADLAMP**  
LIGHT-38  
RRP \$42

**40L/MIN OPEN FLOW**

**100 LITRE**  
**\$1,119**  
SQDN100-1  
800 L x 620 W x 440 H (mm)

**200 LITRE**  
**\$1,299**  
SQDN200-7  
1100 L x 640 W x 610 H (mm)

**400 LITRE**  
**\$1,730**  
SQDN400-7  
1700 L x 820 W x 590 H (mm)

400L ONLY

BAFFLED TANK

PICTURED: 200L MODEL

## DIESELPower - 100L, 200L & 400L

The 12V DieselPower transfer units are available in 100L, 200L & 400L capacity. The tanks are made from a diesel grade polyethylene and are impact resistant and UV stabilised. Proven and reliable Selecta DieselPower pumps are the heart of this rugged product.

- 12V DieselPower pump, 40L/min open flow
- Strong double walled lockable pump cover protects the pump and tank breather from any unwanted access. (Padlock included)
- Internal suction filter
- Lockable filling cap (2 keys)
- High quality auto shut-off trigger
- 4m of 3/4" delivery hose with swivel & crimped fittings
- 4m wiring harness with alligator clips
- Low profile design for clear rear view from utility
- BAFFLED TANK 400L only

**DieselPro**

**FREE HEADLAMP**  
LIGHT-38  
RRP \$42

**45L/MIN OPEN FLOW**

**200 LITRE**  
**\$1,599**  
SQDN200L-Z1  
1100 L x 640 W x 610 H (mm)

**400 LITRE**  
**\$1,849**  
SQDN400L-Z1  
1700 L x 820 W x 590 H (mm)

**600 LITRE**  
**\$2,190**  
SQDN600L-X1  
1664 L x 840 W x 810 H (mm)

400L & 600L ONLY

BAFFLED TANK

PICTURED: 200L MODEL

## DIESELPro - 200L, 400L & 600L

The 12V DieselPro range of transfer units are available in 200L, 400L & 600L capacities. Featured packed with world class components, including an Italian made Piusi pump. Longer hose and wiring harnesses than others in the market. Made with diesel grade polyethylene that is UV stabilised to ensure a longer life.

- 12V DieselPro Italian Piusi pump 45L/min open flow
- Strong double walled lockable pump cover protects the pump and tank breather from any unwanted access (Padlock included)
- Internal suction filter
- Lockable filling cap (2 keys)
- High quality Auto shut off trigger
- 5m of 3/4" delivery hose with swivel & crimped fittings
- 4m wiring harness with alligator clips
- Anti-static earth strap
- Low profile design for clear rear view from utility
- BAFFLED TANK 400L & 600L only



**Diesel Pak**



**BONUS**  
DIGITAL METER KIT  
RRP \$399  
PF26-X3

**DIESELPak - 800L, 1100L & 2200L**  
DieselPak large capacity transfer units are available in 800L, 1100L & 2200L. Packed with world class components, including an Italian made Piusi pump, longer hose and wiring harnesses than others in the market.

- 12V PIUSI Italian self priming pump
- 5m 3/4" ID delivery hose with crimped fittings
- Auto shut-off nozzle & hose swivel
- 4m power lead & alligator clips
- **800L** SQD800-X1 (45L/min pump)
- **1100L** SQD1000-X1 (45L/min pump) SQD1000-5 (85L/min pump)
- **2200L** SQD2200-5 (85L/min pump)
- **Internal baffle** to reduce surge when travelling (800L & 1100L only)

PICTURED WITH OPTIONAL LITRE COUNTER

**2200 LITRE**  
**\$4,699**  
SQD2200-5  
1900 L x 1380 W x 1150 H (mm)

**1100 LITRE - HI FLO**  
**\$3,480**  
SQD1000-5  
1500 L x 1180 W x 1000 H (mm)

**1100 LITRE**  
**\$2,799**  
SQD1000-X1  
1500 L x 1180 W x 1000 H (mm)

**800 LITRE**  
**\$2,584**  
SQD800-X1  
1800 L x 940 W x 760 H (mm)

**800L & 1100L ONLY**  
  
**BAFFLED TANK**

**100L DIESEL CADDIES**

- 100L UV stabilised Polyuff tank, with screw on lid and breather
- Flat-free PU wheels (245mm diameter)
- Hook to store the delivery hose

**12V Model: SQDT100-1 (pictured)**

- 12V submersible pump, 15L/min flow
- 2m delivery hose, manual aluminium trigger
- 2.2m power cord with alligator clips to connect to battery

**Lever action model: SQT100-2**

- Lever action pump, 0.5L per stroke
- 2.2m delivery hose, manual poly trigger (with trigger lock)



**NO POWER SOURCE REQUIRED**

**12 VOLT**  
**\$599**  
SQDT100-1  
400 L x 540 W x 1050 H (mm)

**LEVER ACTION**  
**\$519**  
SQDT100-2  
400 L x 540 W x 1050 H (mm)

**DIESEL ECO UNITS - 100L & 200L**  
Diesel Eco units are a simple solution to diesel transfer while including some premium features.

- Impact resistant Polyethylene, UV stabilised tanks
- 12V Diesel power pump, 40L/min open flow
- Manual aluminium trigger
- 4m of 3/4" delivery hose
- 3m long power cord with alligator clips
- Lockable filling lid (100L)

**100 LITRE**  
**\$779**  
SQDN100-P1  
800 L x 620 W x 440 H (mm)

**200 LITRE**  
**\$1,050**  
TKD200-7  
1030 L x 580 W x 535 H (mm)



**SELECTA BLUE 200L 12V TRANSFER UNIT**  
Designed for the storage and transfer of AUS32 Solution

- UV stabilised polytuff tank
- 35L/min open flow self-priming pump
- 4m of 3/4" delivery hose with manual nozzle
- 3m long power cord with alligator clips



**200 LITRE**  
**\$1,019**  
TKA200-7

**SELECTA DIGITAL DIESEL METER KIT**



**\$399**  
PF26-X3

**AUTO SHUT-OFF GUN**  
This gun is featured on most Selecta diesel units.

- Capacity to 58 L/min
- Requires 50 kPa (7.5 psi) to open
- 3/4" BSP female inlet



**\$189**  
PF01

**12V DIESELPUMP PUMP**

- Self priming with internal 3 minute pressure bypass
- 3/4" female BSP inlet/outlet



**40L/MIN OPEN FLOW**

**\$299**  
382-009

**12V BP3000 DIESEL PUMP**

- 45 L/min open flow, 22 Amp max
- Comes with 2 x 19mm hose tails
- 4m battery cable with alligator clips



**\$620** **PIUSI**  
F0022325A

**COPPER JIGGLER SIPHON**

- Insert copper nozzle into container and briskly move up and down to begin flow
- Transfers up to 19L/min



**\$20**  
PF55

**12V DIESELPUMP PUMP KIT**

- 1" BSP female ports
- 4m of 19mm I.D. hose
- Auto shut-off gun



**45L/MIN OPEN FLOW**

**\$529**  
PF48

**12V DIESELPUMP PUMP**

- 45L/min open flow capacity, 30min duty cycle
- 1" Female Bsp ports



**\$230**  
382-074

### 13L HEAVY DUTY TROLLEY SPRAYER

Viton equipped professional pressure sprayer for accurate application of herbicide, pesticide, fertiliser, degreaser & cleaning products.

- Ideal for weed control around the house, nurseries, parks and gardens
- Adjustable lance (800mm to 1150mm long)

**\$99**  
TR13-1



OPTIONAL BOOM (WP2-T \$29)



### 25L REDLINE RECHARGEABLE SPOTPAK TROLLEY SPRAYER

- Contained 12V battery 3.2Ahr (SLA type) & 240V charger adaptor
- Steel frame & handle with soft contoured rubber grip & wide bottom support for stability
- 6m hose and spraygun with 550mm stainless steel lance and adjustable nozzle

UP TO 3 TANKS OF SPRAYING PER CHARGE

**\$375**  
SP25-TR2



### PISTOL GREASE GUN

Ideal for servicing and machine maintenance.

- Suits 450g grease cartridges and bulk fill

**NEW**

**\$59**  
PF59



### RECHARGEABLE GREASE GUN

- Quick recharge time (approx 1 hour)
- 6,000 psi max pressure
- Suits Australian 450g cartridges
- 18.5V Li Ion Battery

**\$570**  
PF60



SUPPLIED WITH CARRY CASE

### LED 5W RECHARGEABLE SPOTLIGHT

- 280 + Lumens, strong light beam for distance viewing

Lithium-Ion

**\$55**  
SPOT-5W



### RECHARGEABLE HEADLAMP WITH MOTION SENSOR

- Standard specifications
- Hands free On/Off hand sensor

WAS \$49

**NOW \$35**  
LIGHT-42



### SOLAR MOTION DETECTION LED FLOOD LIGHT

- Automatically turns off during the day
- Use remote control to power On/Off
- IP65 water resistant

WAS \$339

**NOW \$275**  
SOLAR-5



### 12W LED PORTABLE RECHARGEABLE WORK LIGHT

- High powered work light with magnetic base, swivel head and lantern handle

Lithium-Ion

**\$119**  
LIGHT-22



|          |   |                |
|----------|---|----------------|
| 31003471 | Versafix Pro Machete (includes sheath)                              | <b>\$84.95</b> |
| 31003941 | Ultimate Survival Knife (includes sheath, fire starter & sharpener) | <b>\$89.95</b> |
| 31000238 | Crucial Green Multi-tool  | <b>\$64.95</b> |
| 31003345 | Suspension NXT Multi-tool   | <b>\$79.95</b> |



31003471 - Length 370mm

31003941  
Length 270mm

31003345  
Length 105mm

31000238  
Length 90mm

### HILLSIDE FOLDING KNIFE

- Compact 3 blade folding pocket knife
- 33mm, 35mm & 55mm blades
- German stainless steel

**NEW**



**\$25**  
JS-0001B

**Hillside**  
FOLDING KNIFE

SILVAN AUSTRALIA PTY. LTD. ABN 48 099 851 144  
FREE CALL: 1300 745 826 F: 1800 745 826

E: info@silvanaust.com W: silvan.com.au

All items in this catalogue have been included in good faith on the basis that goods described were available at the time this catalogue was published. Failure of suppliers to deliver in accordance with samples, descriptions, or at all, or other unintentional causes may result in some lines being unavailable. Space may prevent some participating dealers from stocking all items. All brand names and product names used in this publication are trade names, registered trade marks, or pending trade marks of their respective owners.

\*PRICES INC. GST, EXC. DEALER INSTALLATION AND/OR FREIGHT CHARGES.  
COPYRIGHT © SILVAN AUSTRALIA PTY. LTD. 2022 Ref: SEL-AUTUMN-22

**SELECTA**

**Silvan**