# FORSPRING















## **ACCESSORIES FOR 12V SPRAYERS**





## 10 & 15M RETRACTABLE SPRING HOSE REELS

- 1/4" BSP M outlet connection (both)
- 16 Bar/240psi max pressure (10M)
- 20 Bar/290psi max pressure (15M)
- 20 Bai/270psi max pressure (1
- 10m of 8mm
   ID hose (10M)
- 15m of 10mm ID hose (15)

IDEAL TO USE WITH 100L REDLINE SPRAYEI & SMOOTHFLO SPRAYERS



\$189 180J1510A



#### ATV BOOMLESS NOZZLE KIT

- Can spray one or both sides
- Adjustable for gully spraying
- Single side spray suits pumps 5-10L/min (60psi)
- Double side spray suits pump 10-20L/min (60psi)
- Large droplets ideal for herbicide

SINGLE 3.7M OR DOUBLE 7.6M NOZZLE \$138

M99-75B





## **ACCESSORIES FOR 12V SPRAYERS**













## **ADD ON BOOM ACCESSORIES**

**1M, 2M & 3M PAK BOOM** 

STAINLESS STEEL CONSTRUCTION. 1, 2 & 3 METRE WIDTH, NON-DRIP NOZZLE ASSEMBLIES.

• LC-15 Anvil deflector nozzles @ 2 bar 0.97L/min

• Includes breakaway clips, boom unclips if an obstruction is hit

• Supplied with connecting hose, on/off tap and mounting clamps

2M LENGTH, 3M SPRAY

\$314 L99-08

1M LENGTH, 2M SPRAY **\$246** L99-09

3M LENGTH, 4M SPRAY **\$446** RP1-10

#### 3M & 4M CROSS FOLD BOOMS

BREAK BACK DEVICE PROTECTS BOOM IF AN OBSTRUCTION IS HIT

- Designed for rear carry-all on most ATVs
- · Adjustable height and quick fold mechanism
- Non-drip nozzle assemblies
- Mounting brackets supplied
- Stainless steel spraylines
- Air induction nozzles

3M CROSS FOLD BOOM RP1-25 (PICTURED) 3 METRES

**\$945** 

RP1-25

4 METRES

## \$1,099 RP1-26

### **RAKPAK 12V SPRAYERS**

### 50L & 70L QUADBIKE SPRAYERS

- Spotjet spray gun with 500mm stainless steel lance & adjustable nozzle and gun holder
- Selecta 5.3L/Min (open flow) 4 Bar/60psi max pressure
- Chemical resistant Viton valves and TPU diaphragms
- Ratchet straps to secure to QUAD (pair included)
- 6M delivery hose included

70L BAFFLED TANK ONLY

50L

\$525 RP50-P1 \$615 RP70-P1



#### **70L RAKPAK PLUS SPRAYERS** • UV stablised polytuff tank with INTERNAL BAFFLE • Pumps with Viton valves & Santoprene diaphragm • Ratchet straps to secure to Quad (pair included) • Anti-spill barrier around lid to protect rider • Spotjet spray gun with 500mm stainless steel lance and adjustable nozzle RP70N-S7 features a Aquatec Smoothflo 7.0L/min (open flow) pump with constant flow technology for no pulsation spraying 8 Bar/120psi max pressure (shown) RP70N-S10 INCORPORATES AQUATEC 14.0 L/MIN OPEN FLOW PUMP 4 BAR/60 PSI



ANG HELDER TO A NEW YORK OF THE PARTY OF THE



#### **400L SQUATPAK SPRAYERS**

- UV stabilised polytuff tank with large baffle to reduce surge 12V PUMP OPTIONS:
- Model SQ400-S7-1 with Aquatec Smoothflo pump 7L/min (open flow) for no pulsation spraying 8 Bar/120psi
- Model SQ400-S8-1 with Aquatec High Capacity 20L/min (open flow) 4 Bar/60psi
- · Pressure regulator fitted
- PA series spray gun with 500mm stainless steel extension lance, flat fan nozzle & hollow cone supplied

400L SMOOTHFLO 30M 10M H0SE

SÓ400-S7-1

**400L HI CAPACITY** 30M 10M HOSE



#### **TROLLEY SPRAYER &** OPTIONAL BOOM

- 25L Impact resistant polytuff tank, U.V. stabilized
- Recessed pump area protects pump from accidental damage and 25mm drain bung for easy cleaning
- Contained 12V battery 3.2Ahr (SLA type) & 240V charger adaptor
- Steel frame & handle with soft contoured rubber grip & wide bottom support for stability
- 2.6L/min (open flow) 50psi (max)

#### OPTIONAL SPRAYBOOM SUIT NEW MODEL 25L TROLLEY SPRAYER (TR55-13)

Sprayboom can be easily connected to the new model trolley sprayer, with pre drilled holes in the frame.

- · Poly spray tube with flat fan nozzles
- · 1m boom width, 1.5m spray swath
- Supplied with mounting and plumbing kit # When fitting to an old model trolley sprayer, holes will need to be pre drilled prior to assembly.

SP25-TR2

IDEAL FOR SMALL ACERAGE PROPERTY

GARDENERS, PEST CONTROL & GENERAL AGRICULTURAL SPRAYING APPLICATIONS

MAINTANENCE, LANDSCAPE

OPTIONAL BOOM

TR55-13



#### **20L RECHARGEABLE UPRIGHT TROLLEY SPRAYER**

- Corrosion resistant portable sprayer with its own 240V battery recharger
- Heavy duty construction frame with removable handle
- Impact resistant polyethylene UV stabilised tank
- Smoothflo 12V diaphragm pump max 8L/min (open flow) 120psi
- Pressure regulator to apply chemicals at required pressures
- Spotjet 600mm stainless steel lance
- · Anti-spill screw lid with strainer





#### **400L SKID SPRAYER WITH 12V SINGLE REEL TUFF REMOTE REEL**

- Honda 5.5HP engine with high quality high pressure Italian diaphragm pump
- UV stabilised polytuff tank with internal baffle & sump
- 38L min (open flow) 40 Bar/580psi max pressure
- Supplied with Turbo 400 spray guns to produce a mist to a pencil straight or stream spray pattern

DIMENSIONS: 1760MM L X 1200MM W X 700MM H OPTIONAL: 150M HOSE LENGTH & ELECTRIC START AVAILABLE. CALL FOR ENQUIRIES



#### ELECTRIC START OPTION AVAILABLE: POA

400L SINGLE REEL

4001 TWIN RFFI



#### **REEL TUFF 12V HEAVY DUTY REMOTE REEL**

- Heavy duty high torque direct drive gear box and electric motor
- · Galvanised steel construction for corrosion & scratch resistance
- Long range remote system with automatic frequency hopping technology for interference-free use, 915mhz
- 100m of 1/2" Nylon tubing
- No belts, chains or sprockets

• Turbo 400 spray gun and liquid shutoff snap coupling for easy removal, storage or change • Steel skid frame, hot dipped galvanised skid for extra durability and superior corrosion resistance • Engine driven Comet APS41 pump 38L/min (open flow) maximum pressure 40 Bar/580psi with pressure regulator

- 100m of 1/2" O.D hose with



#### **600L SKID SPRAYER WITH SINGLE** OR DOUBLE REEL TUFF REMOTE REEL

Turbo 400 spray gun & liquid shut-off snap coupling for easy removal, storage or change

· Honda GX160 5.5HP engine & direct drive reduction gearbox

Steel skid frame, hot dipped galvanised skid for extra durability Engine driven Comet APS41 Diaphragm pump 38L/min (open flow) 40 Bar/580psi max pressure with regulator and spare outlets

600L Polytuff tank with sump

**600L SINGLE REEL** 

**600L TWIN REEL** 

100M

147R10012 **\$4.598** 







#### **300L MOTORISED LIGHTFOOT SPRAYERS**

These complete trailed ATV sprayers utilise engine driven Comet pumps for high performance spot and boom spray applications.

#### 1 T30-34:

- · Large mud puppy tyres for extra stability
- Engine driven Comet MC20/20 (18L/min 20 Bar/290psi)
- Vertical boom channel for fitment of accessories
- . 50mm tow ball hitch and fold stand
- · In-Line filtration
- · Honda GX120 engine
- LT30-34-2: As above plus features below
- 4m cross fold boom with air induction nozzles for drift reduction
- Easy boom On/Off with electric solenoid
- (max operation to 150psi) for operation from vehicle
- Retractable 15m hosereel with Atomiser+ spray gun

Optional 30m manual reel in lieu of 15m retractable -

Call Customer Service for price

#### **300L MOTORISED** LIGHTFOOT VINE SPRAYER

- Honda GX120 Engine coupled to a MC20/20 pump
- Max 18.5L/min (open flow) 20 Bar/290psi pressure
- · Adjustable boom height, width and spray bar angle
- · An ideal unit for small horticultural growers
- 5 adjustable nozzles each side that produce a fine mist or can be individually shut off

#### OPTIONAL IN CAB **ELECTRIC CONTROLS** (GT-SOL7 \$976)

 Master on/off switch - left and right on/off







## Pro Grade NO LEAK CHEMICALS WILL NEVER 4 NOZZLES INCLUDED (ADJUSTABLE BRASS, LOW VOLUME FAN, HIGH VOLUME FAN AND FOAMING) YOUR BACK HANDSPRAYER DESIGN USES WIDE BASE AND TEAR DROP SHAPE FOR MAXIMUM STABILITY BACKPACK FEATURES NO-LEAK INTERNAL PUMP NON CORROSIVE STAINLESS STEEL WANDS PROFESSIONAL SHUT-OFF HANDLE Silloan **Pro**Grade Silvan **Pro**Grade 8 LITRE



#### 15L BACKPACK SPRAYER

Fitted with quality

- Flat fan and adjustable nozzle
- 500mm spray gun with stainless steel lance
- Left or right side pump handle
- Lockable spray lance
  trigger
- Anti spill screw lid and strainer with handle
  starage
- Adjustable padded straps

\$**87**KN15D-1







- Rechargeable 7.4V Li-Ion battery with charger
- Auto on/off pressure switch triggered when using spray lance
- 240 volt battery charger
- Reliable 40psi pump
- 1.5L/min open flow (275kpa/40psi max.)
- · Contoured design for back comfort
- Up to 6m throw using adjustable nozzle

ΔΠ ΙΙΙςΤΔΒΙ Ε PANNEN STRAPS & BACK REST

WP16-6



UP TO FIVE TANKS

OF SPRAYING PER

CHARGE

#### 13L STAINLESS STEEL HAND SPRAYER

For concrete cleaner, sealer, release agent, and curing compounds

 Premium shut-off with 1270mm long chemically resistant rubber hose reinforced with nylon

- 610mm brass wand extension and holder
- Nozzle, brass 95 degrees flat fan size 05
- Push-button pressure relief valve

MADE IN USA

- AISI-304 Grade S/S tank
- 686 x 216 x 216 mm
- Weight: 5.8 kg





STAINLESS STEEL -

**INSIDE & OUTSIDE** 







## 400, 600 & 800L BARE DIY FIREFIGHTING TANKS

THE SILVAN FIREFIGHTING
SQUATPAK TANKS ARE FITTED
WITH A BASE PLATE AND ARE
BAFFLED TO REDUCE SURGE WHEN
TRAVELLING. SUCTION FITTINGS
ARE PROVIDED TO MOUNT VARIOUS
PUMP AND HOSE COMBINATIONS.







## AREYOU FIREREADY?

ACT NOW BEFORE THE SEASON STARTS

ALL SILVAN UNITS ARE FULLY ASSEMBLED AND TESTED READY FOR USE



## **400L HONDA/DAVEY** FIREFIGHTER UNITS

- 5.5HP Honda GX160 motor with Davey single impeller pump, max pressure 80psi or 425L/min (open flow)
- 20m ¾" I.D. hose and poly adjustable fire fighter nozzle

#### SQF400D

• 20m hose and adjustable nozzle

#### SQF400D-1 (PICTURED)

 Hose reel with 30m hose and adjustable nozzle

\$3,120

\$3,549

INTERNAL BAFFLE TO REDUCE SURGE WHEN TRAVELLING



### 800L SILVAN HONDA DAVEY FIREFIGHTING UNIT

- UV stabilised Polytuff tank that meets the harsh Australian conditions
- Hose reel, fitted with 30m ¾" I.D. hose and poly adjustable fire fighter nozzle
- Tie down points moulded into the top of the tank
- 4 Stroke 5.5HP GX160 Honda engine, direct coupled Impellor
- Inlet 1 x 1.5", Outlet 1 x 1.5" & 2 x 1"
- 80psi max pressure 425L/Min (open flow)
- Fuel capacity 3.6 Litre (Unleaded)
- 2 hours approx run time

\$4,079 SQF800D-1



### 600L SILVAN HONDA DAVEY FIREFIGHTING UNIT

- UV stabilized polytuff tank with bottom sump for maximum drainage
- Galvanised skid frame with easy lift handles, ideal for tie down points
- 4 Stroke 5.5hp GX160 Honda engine, direct coupled Impellor Davey pump
- 80psi max pressure 425L/Min (open flow)
- Heavy duty hosereel with 30m of ¾" hose and adjustable nozzle
- Inlet 1 x 1.5" Outlet 1 x 1.5" & 2 x 1"
- Factory fitted fast filler with 6m hose and foot filter

\$4,150 SLF600D-1





### **SELECTA POWER UNIT**

- 20m ¾" I.D. hose and poly adjustable firefighter nozzle
- 4 Stroke 6.5HP Selecta Power engine, twin Alloy Impellor
- Inlet 1 x 1.5", Outlet 1 x 1.5" & 2 x 1"
- 100psi max pressure 250L/Min (open flow)
- Maximum head 70 (metres)
- Fuel capacity 3.6 Litre (Unleaded), 2 hours approx run time



,340 SQF400S



#### SILVAN SELECTA POWER FIREFIGHTING PUMP

Features a carry/mounting frame for mobility and added protection.

- 4 stroke over head cam engine with oil alert 6.5HP
- 1 x 11/2" inlet, 2 x 1" outlet, 1 x 11/2" outlet
- Max. 250 L/Min (open flow)
- Max. 100psi pressure
- Maximum suction lift 3.5 metres
- Direct coupled centrifugal, twin impeller firefighting pump
- Optional hose kit (Code: LBA-100A) consisting of 20m hose, nozzle, 6m suction hose and foot filter

#### FIREFIGHTING HOSE REEL


- Powder coated metal construction
- Fitted with 30 metres of 3/4" delivery hose
- Adjustable poly nozzle
- Supplied with mounting brackets to suit SquatPak tanks 400L, 600L & 800L

#### HIGH VOLUME SPRAYING **WATERING GUN**

- Max pressure 12 Bar/290psi
- · Adjustable jet width by trigger
- Shockproof protective ring
- 1/2" BSP inlet
- with swivel • 50L/min









#### 1100L HONDA DAVEY **FIREFIGHTING UNIT**

- 4 Stroke 5.5HP GX160 Honda engine, direct coupled Impellor
- Inlet 1 x 1.5", Outlet 1 x 1.5" & 2 x 1"
- Max 425L/min (open flow) max 80psi pressure
- Maximum head 56m
- Galvanised fork lift able skid base
- Heavy duty hose reel, fitted with 30m x 3/4" I.D. hose and poly adjustable nozzle
- Fuel capacity 3.6L (Unleaded), 2 hours approx run time
- Engines fitted with low oil alert
- Baffled tank to reduce surge

#### FIREFIGHTING NOZZLE

- High density plastic outer and inner body
- Adjustable spray from straight to conical pattern
- 3/4" BSP female thread



#### **FOAM MARKERS**

Designed for the spray operator that can have a visual reference of the areas sprayed with a boom. Eliminates expensive under or over lapping of chemicals.

#### 14L MODEL - 042M

- 16m delivery hose & double foam droppers 10m reinforced delivery
- hose & single • foam dropper. In cab remote

with On/Off & Left/Right control

042M



#### 16L MODEL - 042D-16S

- 16m delivery hose and double foam droppers • In cab remote with On/Off & Left/Right control
- IDEAL FOR TANKS UP TO 800L

#### 57L MODEL - 042D-57

- 36m delivery hose and double foam droppers
- In cab remote with On/Off & Left/Right control

IDEAL FOR LINKAGE SPRAYERS OVER 800L AND TRAILED SPRAYERS

042D-16S







3 minute pressure bypass 3/4" female BSP inlet/outlet





SAFE & RELIABLE DIESEL TRANSFER **SOLUTIONS FOR REFUELLING ON THE GO!** 

#### **12V INLINE BP3000 DIESEL PUMP**

- 45 L/min open flow, 22 Amp max
- 3/4" female BSP inlet/outlet
- 4m battery cable with alligator clips
- Self priming with internal 3 minute pressure bypass

**\$549** 

382-059

**\$19** 

• 12V PIUSI self-priming pump made in Italy



## **FLASHING BEACON** SQDN100-1 (100L) \$895 GF40

#### 100L, 200L & 400L **DIESELPOWER**

- 12V DieselPower self-priming pump
- 4m wiring harness with alligator clips
- High quality auto shut-off nozzle
- 30 min duty cycle, 30 min on/off
- 4m of 3/4" delivery hose with swivel and crimped fittings
- Suction foot screen filter on internal suction line

BAFFLED TANK (400L ONLY)

4M OF 3/4 DELIVERY HOSE

**BONUS OFFER** 200 LITRE

SQDN200-7

#### WATER FILTER FUNNEL

- Portable and lightweight
- Removes water (50 micron)
- · Removes debris
- No replacement parts (built-in filter)



SUITS PETROL, DIESEL, 2-STROKE, AVIATION FUELS, KEROSENE & HEATING OIL

#### **DIESELPRO TRANSFER** UNITS 200L, 400L & 600L

- 12V PIUSI self-priming pump made in Italy
- High quality auto shut-off nozzle
- 4m wiring harness with alligator clips
- 5m of ¾" delivery hose with swivel & crimped fittings
- Suction foot screen filter on internal suction line
- 30 min duty cycle, 30 min on/off

200 LITRE

SQDN200L-Z1

400 LITRE

SQDN400L-Z1

300L DIESELPOWER

600 LITRE

SQDN600L-X1

#### **12V OIL CHANGE PUMP KIT**

- Supplied with pump and suction hoses for oil changes via dipstick
- 1.5L/min transfer (warm engine oil)
- Easy battery connection with alligator clips and 1.5m power cord on/off switch
- 1.2m clear line 6mm 0.D. suction hose for mess free draining
- · Long 1.6m delivery hose for sump oil





.5 L/MIN



BAFFLED TANK (400L & 600L ONLY)



JS012

RRP \$185

POWERPACK AND

JUMPSTART KIT

OPTIONAL

crimped fittings

Digital Litre (PF26-X3)\* \$349





FITS IN TO MOST 4WD UTES

• Nissan Navara • İsuzu Demax • VW Amarok

• Ford Ranger • Toyota Hilux • Mazda BT-50 •Triton



• 3/4" BSP female inlet

• Requires 50 kPa (7.5 psi) to open

WAS \$419

· Not suitable for gravity fed applications



#### **100L DIESEL TRANSFER CADDY**

HEAVY DUTY CONSTRUCTION FOR RELIABLE AND SECURE DELIVERY OF DIESEL

12V 15L/min open flow diesel pump

• UV stabilised diesel grade polyethylene tank

• High quality manual shut-off nozzle

• 250mm diameter solid wheels

· 2m of hose

#### **FEATURES:**

• Submersible diesel pump

• 2m of 3/4" delivery hose with swivel and crimped fittings

2.2m wiring harness with alligator clips

**NEW RELEASE** 

MANUAL DISPENSING GUN





SQDS400-7

#### **200L 12 VOLT DIESEL ECO UNIT** UV Stabilized polytuff tank • 40L/Min open flow • 4m of 3/4" delivery hose with swivel and manual nozzle SELECTA 3m Long power cord with alligator clips 40L/MIN OPEN FLOW SELF PRIMING PUMP <sup>\$</sup>839 TKD200-7 MANUAL DISPENSING GUN

#### **12V DIESELPOWER PUMP KIT**

• 1" BSP female ports

• 4m of 19mm I.D. hose

 Auto shut-off gun and swivel

 4m batter cable

## 45 L/MIN OPEN FLOW

#### 12V BP3000 DIESEL PUMP

• 45 L/min open flow, 22 Amp max

• Comes with 2 x 19mm hose tails

• 4m battery cable with alligator clips

• Self priming with internal 3 minute pressure bypass

• Max. head 10 metres

• 30 minute duty cycle · Made in Italy by PIUSI

F0022325A









#### **DIESEL SHUT-OFF GUN**

- Diesel refuelling gun with digital litre counter
- Auto shut-off when tank is full
- Capacity up to 58 L/min
- 1" & 3/4" swivelling hosetail supplied

• Requires 50 kPa (7.5psi) to open

#### **100L DIESEL ECO UNIT** 12V Poly Diesel Power pump 40L/min open flow Manual Shut-off nozzle • 4m of ¾" delivery hose 100L Low profile tank with lockable filler cap

#### **NEW RELEASE OIL DRUM KIT AIR OPERATED PUMP 5M HOSE AND GUN**

- Pump flow rate: Maximum 21.5 L/min
- · Suitable viscosities: mid to high
- · Operating air pressure: 3 to 8 bar
- 5m Industrial grade 1/2" delivery hose
- · Lightweight 1.2kg aluminium trigger
- · Flexible spout & anti drip valve

#### Pump materials:

- Technopolymer air motor:
- Die cast steel body
- NBR Seal

<sup>\$</sup>769 FK0100000



#### DIESEL WATER FILTER

NEW RELEASE

Catches water and additional material that contaminates diesel tanks and prevents these materials from passing on to the next tank of your vehicle or machine.

#### **EACH FILTER INCLUDES** HOUSING BOWL & ELEMENT

- Inline Diesel moisture filter
- 1" BSP Female ports

 Clear filter bowl with drain tap

PF58-1



#### **400L DIESELPAK**

\$649 SQDN100-P1

Comes with a premium 12V pumps are made by PIUSI, a world class Italian pump manufacturer.

- 12V PIUSI Self-priming pump
- 5m 3/4" delivery hose with auto shut-off nozzle
- Suction foot screen filter on internal suction line
- 4m wiring harness with alligator clips
- 30 min duty cycle, 30 min on/off
- SquatPak style accessory mounting points
- Two tank corners with large M10 Inserts for mounting hose reels
- Deep tie-down locating channels for straps mounting and tank strength
- Large Internal baffle









#### 12V SUBMERSIBLE DIESEL AND WATER TRANSFER PUMP

- 18 L/min open flow, 15psi max pressure
- 50mm diameter
- Durable ABS plastic with stainless steel motor shell • 2.8 metre cable
- with alligator clips Integral inlet

strainer







#### **800L DIESELPAK**

- 12V PIUSI Self-priming pump
- 5m 3/4" delivery hose with auto shut-off nozzle
- Suction foot screen filter on internal suction line
- 4m wiring harness with alligator clips
- 30 min duty cycle, 30 min on/off
- SquatPak style accessory mounting points
- Two tank corners with large M10 Inserts for mounting hose reels
- Deep tie-down locating channels for straps mounting and tank strength
- Large Internal twin baffle

#### **UNIQUE TWIN**









#### 12/24V PANTHER DIESEL PUMP KIT

- 12V: 35 L/min open flow, 16 Amp max
- 24V: 75 L/min open flow, 25 Amp max
- Suction foot screen filter with hosetails & clamps
- Automatic shut-off nozzle with hose swivel
- 4m of 3/4" I.D. diesel delivery hose

• 4m battery cable with alligator clips





· Foot design allows bolt down mounting

• 5m hose and auto shut-off gun 1100 LITRE (SHOWN)

85L/MIN HI-FLOW PUMP

SQD1000-5

1100 LITRE 45L/MIN OPEN FLOW PUMP

2200 LITRE 85L/MIN HI-FLOW PUMP

SQD1000-X1

**\$4,060** 

SQD2200-5



2200L UNIT FITTED WITH 85L/MIN HIGH FLOW PUMP AND 4M HOSE



PF341090



## DIAPHRA PUME

TOUGH AND RELIABLE - WILL RUN DRY
WITHOUT THE RISK OF DAMAGE

WAS \$245

DDP-552A

#### **AQUATEC 12V SMOOTHFLO PUMP**

- 7L/Min open flow, 8 Bar/ 120psi max pressure
- Viton Valves, Santo diaphragm • 3/8" BSP Female ports

IDEAL FOR SPOT AND



#### **AQUATEC 12V MEDIUM CAPACITY PUMP**

- 14L/Min open flow, 4 Bar/60psi max pressure
- Viton Valves, Santo diaphragm
- Supplied with 5D connections: 2 x 1/2" & 2 X 3/4" Flbows/Hosetails



#### **AQUATEC** 12V HIGH **CAPACITY PUMP**

Used where higher volume is required such as boomless nozzle spraying and larger boom spraying.

- · Viton Valves, Santo diaphragm
- 20L/Min open flow, 4 Bar/60psi max pressure
- Supplied with 5D connections: 2 x ½" and 2 x ¾"
- Rated for continuous duty for pressures up to 60 psi
- Fitted with ON/OFF demand pressure sensing switch

#### **AQUATEC 12V HIGH CAPACITY PUMP**

- 26.5L/Min open flow, 4 Bar/60psi max pressure
- EPDM Valves, Santo diaphragm
- Supplied with 5D connections: 2 x 12mm Elbows & 2 x 1/2" BSP male



#### SILVAN 60/20 PTO PUMP

- 58 L/Min open flow, 20 Bar/290psi max pressure
- 1 3/8 six splined shaft
- Supplied with hose connections and mounting base



CÉP06020

#### SILVAN BP75/20 PUMP

- Output @ 540 RPM: 67 L/min
- 20 Bar/290psi max pressure
- · HP required at max pressure: 3.5HP

FOR BOOM

SPRAYING

• L x W x H (mm): 271 x 276 x 278

 Weight (kg): 12.3 IN ITALY

#### SILVAN 125/20 PTO PUMP

- 121 L/Min open flow, 20 Bar/290psi max pressure
- 13/8 six splined shaft
- Supplied with hose connections



CBP12520

#### **12V SILVAN PAK PUMPS**

- 2.6 L/Min open flow
- 381-35 with male threaded connectors to suit Redline 25L and 55L spray tanks
- 381-38 with 8mm barb inlet/outlet



TO WAR STONE OF THE STONE OF TH

#### **SILVAN 12V PAKPUMP**

- 5.3L/Min open flow, 4 Bar/60psi max pressure
- · Viton valves, Santo diaphragm



IDEAL FOR SPOT AND SMALL BOOM SPRAYING

#### **SILVAN 12V PAKPUMP**

- 12.5L/Min open flow, 3 Bar/45psi max pressure
- Viton valves, TPU diaphragm
- 12.5mm hosetails



IDEAL FOR BOOM SPRAYING

#### **SHURFLO 8000 2V PUMP**

- 6.8L/Min open flow, 4 Bar/60psi max pressure
- · Viton valves, Santo diaphragm



IDEAL FOR SPOT AND SMALL BOOM SPRAYING

#### SHURFLO 2088 12V PUMP

- 11.3L/Min open flow, 3 Bar/45psi max pressure
- Viton valves, Santo diaphragm



IDEAL FOR BOOM SPRAYING

#### SX SPREADER

Features a galvanised metal hopper suited to small and medium spreading applications.

- 345 litre capacity
- Includes PTO shaft/drive
- Optional agitator and single-sided conveyor available



#### PORTABLE ANIMAL RAMP

- Rough sandpaper finish to avoid slippage
- · Compact design made from tough lightweight Aluminium
- Weight 6.1kg
- Hinge system allows unit to fold easily in half
- Handle design easily portable and used as a locking strap UNFOLDED: 1830MM X 830MM FOI DED: 930MM X 830MM

110KG MAXIMUM CAPACITY

ATV-21

LONG LIP ON END OF RAMP WITH RIBS FOR GRIP

## oreaders

SILVAN OFFER A RANGE OF LINKAGE AND TRAILED FERTILISER SPREADERS FOR A WIDE VARIETY OF PRODUCTS. SUITED TO LOW TO MEDIUM HORSEPOWER TRACTORS FOR TURF AND PASTURE APPLICATIONS.



#### **POLY HOPPER SPREADER**

- Suitable for small to medium spreading applications. Capable of spreading a wide variety of products including fertiliser and seed.
- 350L corrosion resistant UV stabilised polyethelene
- Optional hopper cover & single or double-sided conveyors available



Spread 6-18m



Hopper 350L

#### **QUAD BIKE LOADING RAMPS** · Tough, lightweight & compact design

- Folds in half for easy storage Safety strap and lip to avoid slippage
- 2260mm L x 280mm W
- Weight 16kg

PAIR



#### **FOLDING LOADING RAMPS**

- · Tough light-weight aluminium
- Each ramp is 2.26m long x 280mm wide
- Weight 11.9kg per ramp
- Long lip on end of ramp with ribs for arip
- Folds in half to make handling & storage easier

CURVED DESIGN INCREASES CLEARANCE

ATV-18







#### AIR COOLER Ideal for farm sheds, workshops,

work garages, patios, stables, outdoor events and marquees.

- 440W, 230V electric motor
- Max air flow 12.000m 3/hr
- Effective area 70-100m2





#### 70L EVAPORATIVE AIR COOLER

- The float valve controls water level. when connected to a tap
- Electric level sensor to indicate when water is empty
- · Portable with 4 swivel wheels, 2 with locking function
- Heavy duty poly construction
- · Quiet running 230V electric motor
- · Timer function for auto start and finish
- · Air direction function
- Adjustable fan speed 3 positions
- Remote control unit
- · Liquid site level indicator · 400W, 230V electric motor
- Max air flow 9000m 3/hr
- Effective area 30-50m2

FC400







#### **HEAVY DUTY 100L** STEEL WHEELBARROW

- · Heavy duty 100L red powder coated steel tray for superior strength & durability
- Heavy duty galvanised steel handles
- Fully welded solid steel legs & front stays
- 16" x 4.8" Pneumatic wheel on steel rim with sealed bearings



#### **HEAVY DUTY 100L POLY WHEELBARROW**

- UV treated polyethylene tray for maximum strength & durability
- Fully welded solid steel legs & front stays
- Heavy duty timber handles
- 16" x 4.8" Pneumatic wheel on steel rim with sealed bearings







#### **WINCHESTER KNIVES**

World renowned as an American legend, Winchester is rooted in tradition and committed to excellence.

Our Winchester range of knives includes pocket, folder, fixed, barrel and a multi-tool, ideal for a variety of rural applications.





#### **235L POLY** TRAY CART

- Draw-bar & universal tow hitch pin for ride-on mower attachment
- · Tray tilts for easy loading or unloading of contents
- Pneumatic wheels with steel rims
- Powder coated steel frame
- · Easy assembly





# SELECIA Security Cameras



THESE POPULAR CAMERAS ARE IDEAL FOR SURVEILLANCE OF: FARM GATES & DRIVEWAYS, FUEL SUPPLIES, MACHINERY SHEDS, GARAGES, WORKSHOPS AND MONITORING LIVESTOCK, FOXES, WILD DOGS ETC.

### 3G MOBILE MOTION ACTIVATED SECURITY CAMERA

- Broad angle lens 100° degree field of view
- Uses the 3G mobile network to send photos via email or mms to phone
- Sends daily reports to phone with number of pictures taken, temperature, memory available and %Charge of AA batteries
- Records to SD memory card (not included)
- Day & Night use with No-Glow night vision up to 15m
- Accepts 3G micro sim cards. For best result check the availability of the Telstra 3G network in your area before purchasing a sim card
- Includes mounting strap with provision for mounting bracket

• IP54 Water & dust resistant

\$529

SECURE100-3G



#### V60 MOTION ACTIVATED SECURITY CAMERA

Compact and self contained surveillance device for covertly monitoring indoor & outdoor areas. Ideal for securing of; farm gates & driveways, fuel supplies, sheds, garages, workshops, livestock, foxes, wild dogs, machinery and tools.

- High clarity 12MP camera with 60° lens
- 8GB SD card included
- Fast response time down to 0.6 seconds
- Day and night use with No-Glow night vision
- IP54 for outdoor use

NOTE: NOT SUITABLE FOR WIFI SD CARDS

\$229 SECURE06

8GB SD CARD INCLUDED CAN STORE UP TO 3400 IMAGES



MINUTES



100MM

- Wide angle view 120° lens, ideal for close range targets in and around buildings
- Response time 0.85 seconds
- Operates with 6 or 12AA batteries
- 16GB SD card included can store up to 11300 images

\$379









#### 650MM & 920MM **PUSH ALONG SWEEPERS**

- Working width with two side brushes 650mm
- Hopper volume 16L (S650)
- Hopper volume 25L (S920)
- Dual sweeper arms bring debris to catcher

 Adjustable belt for each sweeper arm to maximise

the brush tension

#### **WIRELESS ALARM KIT ALERTS YOU THE MOMENT** SOMEONE ENTERS YOUR PROPERTY

SET UP A ZONE AROUND YOUR PROPERTY TO ALERT YOU TO MOTION 24/7 FROM 1KM AWAY

- 4 zones, each zone can pair 4 sensors (16 total)
- 32 melodies/adjustable volume 90 db
- Detection range up to 12m

 Built to last - PVC housing and sunshade included

· Easy DIY install



**FULLY EXPANDABLE SYSTEM** 

**UP TO 16 SENSORS** CAN BE FITTED. ADDITIONAL SENSORS AVAILABLE **\$104ea** EC-ALERT4)





LOCKABLE CARRYALL CAGE

Heavy Duty

**DUAL COMPARTMENTS** 


CHECKER PLATE STEEL **ROOF AND WALLS** 



- · Portable, safe, easy & well presented
- · Weather & heat resistant cover (Canopy included)
- Low profile design provides maximum protection from the elements
- Connect multiple gazebos without any additional parts or panels
- Drop-down window for easy access to food & water dishes

23405







#### **MULTI-PURPOSE** PET ENCLOSURE

Easily stored & transported. Ideal for a variety of animals including dogs, cats, chickens and more.

• Various shapes and sizes (eg: 2400mm x 800mm rectangle and 1600mm x 1600mm square)

ROBUST POWDER COATED STEEL WITH HAMMERTONE FINISH

**FULLY** GALVANISED STEEL AND CHAIN LINK MESH

**\$167** TC8009-4

#### **ANIMAL ENCLOSURE**

Designed for small pets, the fully galvanised steel and chain link mesh construction is sturdy, reliable and some assembly required. • Small Size (m): 2.3 L x 1.9 W x 1.2 H

- Large Size (m): 3.9 L x 2.2 W x 1.82 H

FLAT PACK FOR EASY DELIVERY

TC8009-1



410-53 NEW AND IMPROVED HANDLE

DESIGN EXCLUSIVE TO SILVAN

Supplied with 1/2" & 3/8" hosetails & swivel

MAX. PRESSURE RATING OF 4000KPA (600PSI). VARIABLE SPRAY PATTERN FROM STRAIGHT STREAM TO CONICAL MIST

#### **SILVAN JETPRO SPRAY GUN**

- Strong corrosion resistant lance with non-drip shut-off at nozzle
- Professional spray gun, that has the ability to deliver a straight stream to a cone spray pattern by easily adjusting the trigger
- Locking device that allows the operator to set a desired spray pattern for easier constant spraying requirements

TRADITIONAL HANDLE DESIGN

Polypropylene hand gun construction and comfortable ergonomic trigger grip action

MAX PRESSURE 40BAR (600PSI) TO SUPPORT ATOMISING SPRAY FOR GREATER COVERAGE

#### SILVAN ATOMISER+ **SPRAY GUN**

A Heavy duty spray gun designed for professional and general spraying with an ergonomic handle to maintain comfort of use. An adjustable spray lever changes spray from straight stream to conical mist.

HEAVY DUTY POLYPROPYLENE CONSTRUCTION WITH STEEL/ **BRASS BARREL** 

410-52

**MAXIMUM** PRESSURE



ADJUSTABI F

**NOZZLE WITH** 

300MM LANCE

LIGHTWEIGHT

#### **TOMMY GUN**

Designed for applications where volume and ranged spraying are required up to 25 meters. Uses include tree spraying, watering, firefighting, wash down and cleaning chicken sheds.

- Front hand piece ergonomically adjusts spray pattern from distance to wide spray
- On/Off trigger lock for easy no strain spraying
- Tough tungsten nozzle
- 1/2" BSP thread
- Supplied with 2 nozzles 1.5 and 2.5mm

410-34 PA SPRAYGUN

#### straight stream or a conical spray patten · Fitted with chemical resistant O'Rings

 Hose ID 6mm 0D 12mm Wt 0.420kg, L770mm

• Adjustable nozzle that produces a

• Stainless steel lance

and 12 volt sprayers.

#### VARIJET SPRAY GUN MKII

**SILVAN TRIGGER SPRAY GUN** Suitable for many hand sprayers, knapsack sprayers

• The poly hand piece has a lock on/off feature

- · Spray pattern changes by rotating gun barrel
- On/off trigger grip action with lock off position
- Designed to reduce fatigue while spraying
- 1/2" BSP M inlet with hose tail to fit 10/12.5mm hose
- Pressure 40 Bar/600psi





#### **PA SPRAY GUN**

- On/off trigger grip action with lock off position
- Fibreglass reinforced body
- 1/4" BSP F inlet supplied with 3/8" and 1/2" hosetails
- Pressure 20 Bar/290psi

#### · Fibreglass reinforced body

- Helps reduce fatigue
- Flat fan & cone nozzle supplied

410-38 ADJUSTABLE NOZZLE

#### **GE057 SPRAY GUN**

- Adjustable brass cone jet nozzle
- Strong corrosion resistant 500mm stainless steel lance
- Suits pumps up to 20 Bar/290psi



#### **LONG FOCUS HEADLIGHT LED 250 LUMENS**

- 2 mode settings: High 250 Lumens & Low 100 Lumens, operating time from 1 - 3hrs
- Adjusting head light angle with focus adjustment function
- Rear red light in housing for safety



**ALUMINIUM** HOUSING WITH CREE XPG I FD

IP54 WATER RESISTANT

#### **LED 5 WATT RECHARGEABLE SPOTLIGHT**

- 280+ Lumens, strong light beam for distant viewing
- Tough Polycarbonate lens
- · Lithium rechargeable battery -2.5 hour use with 240V and 12V charger cables

IP54 SPLASH AND WATER RESISTANT



Lithium-lon

#### **RECHARGEABLE** WORKLIGHT WITH **HOOD + STAND**

- 2 Modes: High 600lm = 1hr, Low 2001m = 3hr
- 3.7V 2800mA Li-ION batteries included
- · Can operate while charging
- AC/DC adaptor and DC12V car charger

**FOLDABLE STAND** FOR MORE **CONVENIENT** USAGE

WL004



#### **UTILITY BALL LIGHT**

Strong magnetic base sticks to any magnetic surface for easy use around your home or work space.

- 360 degree rotation
- Flood/spotlight mode

7HR RUNNING TIME WITH 3AA BATTERIES INCLUDED



# ghting that works LIGHT-34 LIGHT-34 SHOWN

#### **LED LIGHT BARS**

Powerful and high quality, ideal for use with a range of equipment. Ideal for marine, tractors, agricultural machinery, ATV/UTV, side by side and utilities.



145MM WIDTH

LIGHT-31



235MM WIDTH I U 6



- 12/24V nominal operation
- Robust die-cast aluminium body
- Polycarbonate lens for added strength
- Adjustable mounts on all LED light bars





- High capacity lithium rechargeable battery (up to 4hrs use)
- 12W 1000+ lumen brightness with 3 brightness settings
- 240V & 12V chargers for home or car
- Features a USB output for charging mobile device

Lithium-Ion

LIGHT-22



#### **3 WATT SOLAR TRICKLE CHARGER**

- 2m power cable with alligator battery clamp
- Weather resistant plastic frame includes suction cups for window mounting
- Power rating 3W with output to 12V battery



#### **6 WATT SOLAR TRICKLE CHARGER**

- Power rating 6W with output to 12V battery or USB charging (eg. USB Power bank, phone or mp3 player)
- 2m power cable with alligator battery clamp and cigarette lighter plug connectors
- Plastic frame with inbuilt plastic stand



12 volt





#### **60 WATT LED FLOOD LIGHT**

Up to 12 hours of illumination.

- Self-powered area lighting ideal for installation around sheds, front gates, pathway and carports
- 60W LED flood light (max 5000 Lumens)
- Automatically turns off during the day
- · Solar panel with swivel mount 20W
- allows for easy sun alignment • 8, 5, 3 hour timer control
- IP67 waterproof
- · Charging time: 6 hours
- 20,000MAH Li-ION battery

REMOTE CONTROL INCLUDED ON BOTH MODELS



**NEW RELEASE** 

#### PORTABLE POWER PACK AND JUMPSTART KITS **600 & 850 CRANKING AMPS ( PEAK )**

Suitable for petrol & diesel engines (up to 3.5L- JS012) (up to 6L -JS020)

Built in 12,000mAh Li – polymer battery (JS012)

Built in 20,000mAh Li – polymer battery (JS020)
 Recharge jumpstart from car cigarette

lighter, USB connection or 240VAC wall adaptor LED worklight with SOS light function

• 2 x USB plugs and a cable kit to charge popular phones

Overload, reverse polarity and short-circuit protection

#### WILL START A 30HP TRACTOR

600 AMPS **\$185** 

JS012

850 AMPS





#### **100 WATT LED FLOOD LIGHT** Up to 12 hours of illumination

- Self-powered area lighting ideal for installation around sheds, front gates, pathway and carports
- 100W LED flood light (max 8000 Lumens)
- Automatically turns off during the day
- 2 brightness settings: 100% and 50%
- Solar panel with swivel mount 35W allows for easy sun alignment
- 8, 5, 3 hour timer control
- IP67 waterproof
- · Charging time: 6 hours
- 30.000MAH Li-ION battery

SOLAR-FLD100W

#### **SOLAR MOTION LIGHT WITH REMOTE**

Perfect for outdoor or undercover to improve the lighting of carports, pergolas, balconies, workshops and fuel supplies.

Automatically brightens when movement detected

3.5m charge cable to fit light & solar panel separately

- Use remote to power on/off or activate timer 1-2hr 1000Lm work light
- Provides gentle 150Lm ambient light for up to 3 full nights (from 1 full charge)
- Motion sensor activates bright 500m work light whenever activity

## **CHEMICAL HANDLING EQUIPMENT**

#### MANUAL LEVER PUMP

- Chemical resistant, appropriate for water, lubricants, mild detergents and agricultural chemicals
- · Materials: Polypropylene, Polyethylene, Acetal
- Approx 0.5L per stroke
- Temperature Range: -5C to +45C
- 2" BSP Connection

Light



#### **AG RUNNER CHEMICAL TRANSFER PUMP**

Allows you to pump and measure chemical from the chemical container directly into the sprayer tank without the need for manually measuring or any other handling of chemicals.

• 12V operation with 6m lead & alligator clips

Max Output: 40 L/min open flow, variable depending on viscosity

Viton equipped • numn

2,460

361-SF1105-PTS MAX. PRESSURE: 15PSI

#### **PROFESSIONAL FACE SHIELD**

• Ratchet adjustable headband

200mm x 394mm visor

SCP6015



#### **DISPOSABLE COVERALLS**

· One size fits all

• Elastic cuff & ankle

• 100% Polypropylene





#### **MEASURING JUG**

Measure chemicals accurately and pour them safely with these quality measuring jugs.



JA-2102032

JA-2102033

JA-2102034





#### **APS41 MOTORISED UNIT**

- Honda engine GX160
- Oil backed diaphragm pump
- · Direct coupled to motor
- Adjustable pressure regulator
- 1 metre maximum suction lift



#### **10L GRANULAR APPLICATOR**

- Adjustable application
- Suitable for granular fertiliser
- Approx. 5m spreading width
- Variable direction



#### **SMART Wi-Fi SECURITY CAMERA**

VIEW LIVE IMAGES FROM ANYWHERE IN THE WORLD

· Connection via Wi-Fi or ethernet port

· Download the app to get real time video, speaker and microphone

functions. Video playback requires micro SD Card (not supplied)



#### **ALL WEATHER BINOCULARS**

- 7 times magnification with 50mm lens
- · Rubber coated body
- Nitrogen gas in lens to eliminate fogging
- · Hi Index Bak 4prism for a bright, sharp image

• Internal range finder scale & directional compass with illumination switch indicates the distance or size of the object being viewed

WATERPROOF & DUSTPROOF NECK STRAP AND CARRY CASE INCLUDED





- · Weather forecast with barometric data
- Minimum/maximum display for air humidity and temperature
- Clock/alarm/calendar/day of the week
- 240V power cable supplied
- · Daily alarm function with automatic snooze

REMOTE SENSOR RANGE 60M

118-484





SECURE07

## SILVAN AUSTRALIA PTY. LTD. ABN 48 099 851 144 FREE CALL: 1300 745 826 F: 1800 745 826

E: info@silvanaust.com W: silvan.com.au

All items in this catalogue have been included in good faith on the basis that goods described were available at the time this catalogue was published. Failure of suppliers to deliver in accordance with samples, descriptions, or at all, or other unintentional causes may result in some lines being unavailable. Space may prevent some participating dealers from stocking all items. All brand names and product names used in this publication are trade names, registered trade marks, or pending trade marks of their respective owners.

\*PRICES INC. GST, EXC. DEALER INSTALLATION AND/OR FREIGHT CHARGES. COPYRIGHT © SILVAN AUSTRALIA PTY. LTD. 2019 Ref: SEL-SPRING-19



