

Ideally suited for side by sides, utilities and trailers.

The perfect combination for distance spraying applications like blackberry spraying and boom spraying.

- Available in 300L (pictured) & 400L
- Optional 4m towbar boom





ON SALE

MODE

17th May - 15th July 2021





Silvan

12V SPRAYERS & ACCESSORIES

PICTURED: SP55-51

PICTURED: SP50

GLOVES

SCP4000

SPRAY BOOM & TRAILER NOT INCLUDE

Siluan

25L RECHARGEABLE SPOTPAK REDLINE **TROLLEY SPRAYER**

Ideal for small acerage property maintanence, landscape gardeners, pest control & general agricultural spraying applications

- Contained 12V battery 3.2Ahr(SLA type) & 240V charger adaptor
- Steel frame & handle with soft contoured rubber grip & wide bottom support for stability
- 6m hose, Spraygun with 550mm stainless steel lance and adjustable nozzle



REDLINE SPRAYERS - 25L, 55L & 100L

The Redline range of 12V sprayers are the most feature packed economical sprayers in Australia. Ideal for weed control, spot and fence line spraying, they fit neatly onto the back of most quad bikes, UTVs and utility style vehicles

- 550mm stainless steel spray lance and adjustable nozzle
- 6m of delivery hose
- 3m wiring harness with alligator clips
- 25L: 2.6L/min open flow, 3.3 Bar/50psi pump. Available in 12V (SP25-R1) and rechargeable versions (SP25-B)
- 55L: 2.6L/min (open flow) 3.3 Bar/50psi max pressure
- 100L: 5.3L/min (open flow) 4 Bar/60psi max pressure



12V SMOOTHFLO SPOTPAK SPRAYERS

Ideal for weed control, spot & fence line spraying applications. The Smoothflo SpotPak Sprayer Series delivers constant flow, no pulsation and the highest pressure for distance spraying. Suitable for use with side by sides, utes, trays & trailers, with UV stabilised Polytuff tanks to ensure long life.

- 7L/min (open flow) 8 Bar/120psi max pressure
- Pump is recessed within tank for protection
- Spotjet spray gun with 600mm stainless steel lance & adjustable nozzle with tank clips for neat FREE and easy spray gun storage
- 6 metres of 8mm delivery hose
- Drain plug 3/4" for easy clean and empty
- Non-spill lid, in-built carry handles
- 3 metre battery cable with alligator clips
- Ideal for use with up to 30m of 10mm hose
- Suitable for use with M99-65 boomless nozzle





SPRAY BOOM 3 NOZZLE KIT

- Suits the 25L Trolley sprayer and 55L Redline sprayers
- · Poly spray tube with flat fan spray nozzles
- 1m boom width, 1.5m spray swath



REDLINE TRAILER KITS

Converts a Redline into a trailed sprayer for spraying larger areas with ride-on mowers



BOOMLESS NOZZLE KITS Adapts a trailed 55L or 100L

Redline into a boom sprayer with the nozzle matched to the pump.



PICTURED: SP55-R1

Silvar


Constant Flow Technology

BRASS BOOMLESS NOZZLE KIT

Single of double sided swath



TOWBAR PAK BOOM





Connect fin C (Call 1300 SILVAN (745 826) with us or visit SILVAN.COM.AU

Galvanised 50x50mm to suit Hayman Reese type towbar socket

TRUKPAK SPRAYERS & ACCESSORIES



200L HI PRESSURE PROFESSIONAL TRUKPAK SPRAYERS

- Premium Quality Aquatec HI Pressure pump 5L/min, max pressure 13Bar/200psi
- Jetpro Spraygun, adjustable by the trigger for distance and close spraying applications
- 4 Brass inserts in the bottom or the tank for permanent fixing to a tray
- 3m wiring harness with alligator clips to connect to the 12 volt power source
- Available with 30m manual eco reel. or 15m retractable reel





TWIN

BOOMLESS

NOZZLE

SUPPI IFI

200L PROFESSIONAL TRUKPAK SPRAYERS (FITTED WITH PRESSURE REGULATOR) Professional self contained sprayers favoured for their flexible range of options and industrial design to fit to either utilities, trailers, carryalls, UTV or side by sides.

- UV stabilized polytuff tank with 6mm brass inserts at base for easy mounting
- 12V Aquatec premium quality pump14L/min open flow or max 4bar/60psi (DDP-555)
- Pressure regulator and gauge, that allows operators to adjust pressures when spot spraying or boom spraying
- Large 1 1/4" drain outlet for easy empty and clean
- Inline filter with viewing bowl
- 6m x 10mm agricultural delivery hose









TOWBAR PAK BOOM

socket

•

spray width 2m

hose and on/off tap

Galvanised 50x50mm to suit

Hayman Reese type towbar

• 1.5m stainless steel spray tube,

Supplied with connecting delivery

• 5 Height adjustment settings

PROFESSIONAL & LARGE CAPACITY SPRAYERS

NEW MOTORISED SQUATPAK SPRAYERS

Ideally suited for Side by sides, utilities and trailers. The perfect combination for distance spraying applications like blackberry spraying and boom spraying.

- Available in **300L** & **400L**
- Baffled Poly Tank to reduce surge when travelling
- Eco hosereel with 30m x 10mm hose & adjustable Atomiser spray gun
- Honda GX120 and MC20/20 Italian Diaphragm Pump
- Max pressure 290psi, open flow 18.5L/min



SMOOTHFLO SQUATPAK PROFESSIONAL SPRAYERS

- Available in 300L & 400L
- 7 L/min, 8 bar / 120 psi premium quality 12 Volt Aquatec pump
- UV stabilized polytuff tank with internal baffle to reduce surging
- Large drain outlet for easy empty and clean
- Large screw down lid with 255 mm strainer basket
- **300L Model:** 30m hose reel x 10mm agricultural delivery hose and Atomiser spray gun
- **400L Model:** PA series spray gun with 500mm stainless steel extension lance, flat fan nozzle and hollow cone supplied



HI CAPACITY SQUATPAK PROFESSIONAL SPRAYERS

- Available in 300L & 400L
- Aquatec High Capacity 20L/min (open flow) or 4 Bar/60psi
- Pressure regulator and gauge fitted, that allows operators to adjust pressures when spot spraying, boomless nozzle spraying or boom spraying
- Rated for continuous duty for pressure up to 60 psi
- PA series spray gun with 500mm stainless steel extension lance, flat fan nozzle and hollow cone supplied
- 30m hose reel x 10mm agricultural delivery hose







ATV BOOMLESS NOZZLE KIT

Ideal for applications where a conventional boom cannot be used due to obstacles, such as power poles, guardrails, fences, trees, etc.



TOWBAR PAK BOOM

- Galvanised 50x50mm to suit Hayman Reece type towbar socket
- 1.5m stainless steel spray tube, spray width 2m
- 5 Height adjustment settings

*RETRACTABLE REEL MODEL SHOWN TO ILLUSTRATE 300L TANK SIZE

PICTURED: SQ300-S7-1

CTURED - 50300-58-1



ATV BOOMLESS NOZZLE KIT

Ideal for applications where a conventional boom cannot be used due to obstacles, such as power poles, guardrails, fences, trees, etc.



4m TOWBAR BOOM



Connect fin C (Call 1300 SILVAN (745 826) with us or visit SILVAN.COM.AU

1.

300L TRAILED SPRAYERS



NEW MOTORISED TRAILED SPRAYER with 6 METRE SPRAY BOOM

Ideal for operators to cover larger areas.

- Heavy duty chassis with adjustable drawbar (0-400mm)
- Solid steel axle with steel rims & mudpuppy tyres
- Honda GX120 coupled to an Italian MC20/20 diaphragm pump
- Max 20 Bar/290psi pressure, 2 outlet adjustable control valve
- 30m Eco hosereel with adjustable Atomiser spraygun
- 6m Galvanised boom, stainless steel spraybars
- Non drip modules with air induction nozzles to assist with drift reduction
- In cab on/off switch to open/close
 spray boom



12V LIGHTFOOT TRAILED SPRAYERS

Professional trailed sprayer designed to be attached to the rear of a Utility, ATV, UTV or a side by side vehicle. Ideal for precise spraying applications and general weed spraying management around the property and farm.

- Aquatec pump 20L/min open flow or max 60psi pressure regulator
- Available with 3.6m crossfold boom or boomless nozzle
- Mud puppy tyres for extra stability





TOMULESS NOZZLE OPTION

with 4m SPRAY BOOM & 15m HOSEREEL
MC20/20 diaphragm pump direct coupled to a GX120 Honda engine
18.5L/min open flow or max 20bar/290psi (LBA-34C)

MOTORISED LIGHTFOOT HIGH PRESSURE TRAILED SPRAYER -

REMOTE CONTROL SPRAYERS

400L SKID SPRAYER with REEL TUFF REMOTE REEL

- 400L baffled tank with sump, fitted to galvanised skid
- Honda engine and Comet APS41PUMP
- 38L/min (open flow) 40 Bar/580psi max pressure
- 100m Smoothline hose and Turbo 400 spray gun
- Available in single or twin reel, to allow two
- operators to spray independently at the same time
- Electric start with battery

WAS \$10,265





300L SKID SPRAYER - with REEL TUFF REMOTE REEL

Australian made REEL TUFF Remote hose reel with galvanised steel construction for enhanced durability, direct drive gearbox, long range interference-free remote control and hub position lock with spring loaded mechanism

- 300 Polytuff tank with sump
- Turbo 400 spray gun and
- liquid shutoff snap coupling





600L SKID SPRAYER - with REEL TUFF REMOTE REEL

1200 L x 1850 W x 750 H (mm)

- 600L Polytuff barrel tank with internal sump
- Honda engine and comet APS41PUMP
- Honda GX160 5.5HP engine & direct drive reduction gearbox
- Available in single or twin reel
- Steel skid frame, hot dipped galvanised skid for extra durability and superior corrosion

1200 L x 1850 W x 750 H (mm) SINGLE REEL \$10,479





WHEELBARROW, QUAD & TRAYLINK SPRAYERS

100L RECHARGEABLE 12V WHEELBARROW SPRAYER

This unit has been developed for spraying applications in vegetable gardens, nurseries, greenhouses, vineyards and orchards. Offering a low noise, no engine to start, exhaust fume free alternative for growers requiring a sprayer than can be taken into a hot house and produces a fine droplet/ atomiser spray pattern. The sprayer is compact in design and well balanced to allow easy handling and operation in very small spaces.

- 100L Capacity tank with a 5L fresh water tank. 240 volt charger included
- Battery box with integrated Aquatec 13 Bar/200psi max pressure pump offering

QUAD BIKE SPRAYERS 50L & 70L

Silvan Quad Bike sprayers are designed to fit neatly on quad bikes and meet the strict weight requirement of these vehicles. The wrap-around design allows for a lower centre of gravity, essential for improved quad bike safety.

- Selecta 5.3L/min open flow pump, 4 Bar/60psi max pressure
- Spotjet spraygun with 500mm stainless steel lance and adjustable nozzle
- Chemical resistant Viton valves & thermoplastic polyurethane diaphragms
- Suitable for use with boomless nozzle M99-65 (pictured), sold separately

70L RAKPAK PLUS SPRAYERS

The Silvan Rakpak Plus sprayers incorporate premium features for added convenience at the highest quality. With a choice of pump to suit your spot or boom spraying needs.

RP70N-S7 Features a Aquatec Smoothflo 7L/min (open flow) pump with constant flow technology for no pulsation spraying 8 Bar/120psi max pressure

RP70N-S10 Features an Aquatec

14L/min open flow pump 4 Bar/60 psi. The higher flow is ideal for boom spraying. A pressure regulator is recommended for low flow spot and boom spraying

 Eco hosereel with 30m x 10mm ID hose & adjustable Atomiser spray gun
 Powder coated frame with 330mm diameter pneumatic tyres
 Image: Committee Commi



5L/Min open flow, battery & charging socket.





BRASS BOOMLESS NOZZLE KIT

- Single of double sided swath
 Spray Swath 90° from
- 3.4m or 180° 7.6m





TRAYLINK SPRAYERS - 200L & 300L

The Traylink sprayers eliminate the need for a PTO connection for small to medium boom spraying. The frames (CAT1) can be fitted to small HP tractors, utilities, side by sides and trailers by only requiring a 12 volt connection for the high capacity pump.

- Twin boomless nozzle up to 7.4m spray coverage
- 6m hose, Spotjet spraygun with adjustable nozzle
- Pressure regulator with pressure gauge for control and agitation
- Spotjet spraygun with adjustable nozzle and 6m of 12mm ID delivery hose
- 200L Powder coated steel frame
- 300L Galvanised steel frame



PICTURED: K03A-19B WITH 6M BOOM

Connect fin C (Call 1300 SILVAN (745 826) with us or visit SILVAN.COM.AU

6

SPRAY BOOMS

NEW 4m TOWBAR CROSSFOLD BOOM Galvanised frame with Hayman Reese typeconnection

- 4m Cross fold boom with break back facility
- Stainless steel spraybars, non drip modules with air Induction nozzles to assist with drift reduction.
- In cab on/off switch with Govden Solenoid to control spray boom

TOWBAR PAK BOOM

- Galvanised 50x50mm to suit Hayman Reece type towbar socket
- 1.5m stainless steel spray tube, spray width 2m
- 5 Height adjustment settings
- Supplied with connecting delivery hose and on/off tap



3m & 4m CROSS FOLD BOOM

- Multi functional mounting brackets to suit various applications
- Break back device protects boom if an obstruction is hit
- Adjustable height and guick fold mechanism
- Non-drip nozzle assemblies
- Mounting brackets supplied
- Stainless steel spravlines



40DE



BOOMLESS NOZZLES

NON-DRIP NOZZLE HOLDERS FENCE LINE KIT - TWIN PACK

- Ideal for fencline spraying, firebreaks etc
- Connects to both ½" BSP Male & Female spray bars
- Adjustable spray direction 360 degrees



FENCE LINE KIT - TWIN PACK

- Ideal for fence line work. Mounts on the end of boom (minimum boom height 500mm)
- 1/2" BSP Male connection with nozzle swivel and on/off tap





NON DRIP BRA SERIES Brass flip over nozzle fitted with anti-drip valve with viton diaphragm. Anti-drip valve opens at 1 Bar pressure. 1/4" BSP thread, all brass construction, ceramic tips, stainless steel swirl plates,





Specifically designed for a 3 point linkage unit running between 30 and 60 psi spraying pressure. It can spray up to 9.6 metres wide and is available with an optional mounting bracket.

Ideal for applications where a conventional boom cannot be used due to obstacles, such as power poles, guardrails, fences, trees, etc

ATV BOOMLESS NOZZLE KIT





2,4-D COMPLIANT NOZZLES **TURBO TEEJET INDUCTION (TTI)**

- Pressure range 1-7 Bar
- Removebale orifice
- Produces ultra coarse droplets for 1-3.5 Bar





AIXR AIR INDUCTION NOZZLES

- Pressure range 1-6 Bar
- Made of a two-piece polymer construction. Excellent chemical resistance, including acids, as well as exceptional wear life
- Ideal for drift reduction





NOZZLES

- XR EXTENDED RANGE
- Pressure range 1-4 Bar
- Lower drift at low pressure
- Polvmer

SELECTA Silvan



Prices include GST, exclude dealer installation and/or freight charges

REPLACEMENT PUMPS





Connect fin C (Call 1300 SILVAN (745 826) with us or visit SILVAN.COM.AU

SUITARI E FOR

ABLE FOR

SPRAY GUNS, HOSEREELS & FOAM MARKERS SILVAN ATOMISER SPRAY GUN TURBO 400 SPRAY GUN **GE057 SPRAY GUN** WAS \$75 WAS \$119 MAX PRESSURE 20 BAR (290psi) MAX PRESSURE 40 BAR (580psi) MAX PRESSURE 50 BAR (725psi) TRIGJET SPRAY GUNS SILVAN JETPRO SPRAY GUN VARIJET SPRAY GUN MKII • Spray pattern changes by rotating gun barrel PRESSURE 40 BAR (580psi) WAS \$248 \$155 SSURE 30 BAR (435psi) 40 BAR (600psi) 30m ECO HOSEREEL **10m RETRACTABLE** 15m RETRACTABLE 30m ECO HOSEREEL HOSEREEL HOSEREEL WITH ATOMIZER SPRAY GUN Powder coated steel • 10m of 8mm delivery hose & hose stop 15m of 10m delivery hose & hose stop • Supplied with 30m of 3/8" ag hose Powder coated steel • 1.5m inlet hose with ¼" BSP M • 1m inlet hose with ¼" BSP M • Lockable hub with locking pin • Supplied with 30m of 3/8" ag hose connectors connectors • Lockable hub with locking pin Common foot print suits 300L • Swiveling steel mount bracket • Swiveling steel mount bracket Lighfoot and 400L/800L Squatpak • Atomizer spraygun • Spring rewind with • Spring rewind with tanks Common foot print suits 300L multi position multi position Lighfoot and Squatpak tanks latching latching MATRIX 430 KIT, PATCH ANTENNA, LIGHTER CONNECTOR ALSO HAS A USB PORT. USES FREE SBAS SIGN, MATRIX 430 GPS **FOAM MARKERS** GUIDANCE SYSTEM Designed for the spray operator to have a visual reference of the areas sprayed with a boom. Use GPS technology to help guide tractors and machinery for optimal 14L MODEL - 042M application when boom spraying to 12V fully sealed, dust • minimise spray overlap/underlap. free compressor • High-contrast, full colour, 4.3in 10m delivery hose / 110mm graphic touch screen 0.0 GPS 0.0 • Ideal for ATV bikes & Side by Sides display provides superior visibility 16L MODEL - 042D-16RLSG in bright light conditions • 12V fully sealed, dust free compressor Ideal for Spray tanks up to 800L capacity • 16m delivery hose & double foam droppers

3 SECTION ELECTRIC SOLENOID KIT

Suitable for most brands of 12 volt sprayers, motorised skid sprayers and linkage units with booms.

Silvan medium pressure control kits are an effective way of controlling individual sections of your spray boom from the cab of a vehicle.



GOYEN ELECTRIC SOLENOID VALVES

Comprises a nylon body with either $1/2^{"} \times 1/2^{"}$ barb, or $1/2^{"}$ barb x $3/4^{"}$ BSP thread, and is a servo-assisted solenoid.

• Ideal for fitting to single spray bars and features Viton diaphragms



PRESSURE GAUGE

SELECTA Siluan

ELECTRIC CONTROLS

Ideal where exact measurements. Both standard and dual pressure gauges for high and low pressure readings. Feature a nominal size 63mm gauge, clear lens, glycerine filled, 1/4" BSP male thread in either bottom or back entry models.





PORTABLE SPRAYERS

PROGRADE PROFESSIONAL SPRAYERS

- Thick walled heavy duty tanks with 5 year warranty
- Sprayers can be operated up to 120psi. Ideal for distance spraying applications
- Large internal piston, easy operation with maximum performance
- Chemical resistant seals, long lasting
- Suitable for Liquid and Powered agricultural chemicals and disinfectant
- Stainless steel spray lance with lockable professional trigger
- 4 different spray nozzles, suitable for a variety of applications
- Internal filtration to reduce clogging





15L BACKPACK SPRAYER

- Large capacity 15L UV stabilised poly tank
- Translucent tank with graduated fill markings with carry handle when empty
- Large lid and strainer for quick filling
- Thick padded shoulder straps for user comfort
- Piston pump with left and right-handed operation and ergonomic hand grip
- Poly lockable trigger with 500mm stainless steel lance
- Supplied with flat fan and adjustable nozzle for precision spraying applications





12L RECHARGEABLE BACKPACK SPRAYER

- 12L capacity UV Stabilised polyethylene tank
- Contoured for comfort against your back
- Wide shoulder straps with thick fabric material
- Lightweight unit
 Lightweight unit
 \$1 899

IDEAL FOR

WEED SPRAYING &

DISINFECTING



Connect fin C (Call 1300 SILVAN (745 826) with us or visit SILVAN.COM.AU

10

FIREFIGHTING & WATERING



400L SILVAN HONDA DAVEY FIREFIGHTERS

- Tie down points moulded into the top of the tank
- 4 Stroke 5.5hp Honda Powered Engine
- Davey fire fighter pump 5155H Baked polyester Powder coated centrifugal pump with a marine grade single impellor Single Impellor
- 80psi Max pressure, 425L/min open flow

SELECTA

SELECTA Silvan





Selecta Polytuff Diesel Tanks are constructed for the toughest Australian conditions. Manufactured with a unique diesel-grade polyethylene that is UV stabilised and impact resistant. Each tank is a product of careful testing and manufacture to ensure a strong, durable and maintenance-free tank.



SPREADER

- On/Off power switch to motor. Metering disc, controls discharge rate from hopper. Gate lever, switches flow from hopper on and off
- 12m maximum throw
- Suitable for ride on mowers





DIESEL TRANSFER SOLUTIONS

DIESELCUBE - 200L, 400L & 600L

Designed for most well body utilities such as Ford Ranger, Toyota Hilux, BT-50, Triton, Nissan Navara, Isuzu Demax and VW Amarok.

The height of the Dieselcube makes diesel transfer effortless in these vehicles. All Dieselcube models have an internal baffle to reduce surge when travelling.

- Polytuff tank with fork pockets to allow operators to move the tank (when empty)
- Heavy duty Lockable cover with stand to assist when operating
- 12V Selecta Power 40L/min open flow pump with internal suction filter
- 4m ¾" delivery hose & Auto shut off trigger
- Tank level indicator (400L & 600L)
- 3m wiring harness with alligator clips for 12V connection crimped fittings
- 4m wiring harness with alligator clips
- Low profile design for clear rear view from utility
- Each tank is baffled to reduce surge when traveling

DIESELPOWER - 100L, 200L & 400L

The 12V DieselPower transfer units are available in 100L, 200L & 400L capacity. The tanks are made from a diesel grade polyethylene and are impact resistant and UV stabilised, Proven and reliable Selecta DieselPower pumps are the heart of this rugged product.

- 12V DieselPower pump, 40L/min open flow
- Strong double walled lockable pump cover protects the pump and tank breather from any unwanted access. (Padlock included)
- Internal suction filter
- Lockable filling cap (2 keys)
- High quality Auto shut off trigger
- 4m of ¾" delivery hose with swivel & crimped fittings
- 4m wiring harness with alligator clips
- Low profile design for clear rear view from utility
- BAFFLED TANK 400L only

DIESELPRO - 200L, 400L & 600L

The 12V DieselPro range of transfer units are available in 200L,400L & 600L capacities. Featured packed with World class components, including an Italian made Piusi pump, Longer hose and wiring harnesses than others in the market. Made with diesel grade polyethelyne that is UV stabilised to ensure a longer life.

- 12V DieselPro Italian Piusi pump 45L/min open flow
- Strong double walled lockable pump cover protects the pump and tank breather from any unwanted access. (Padlock included)
- Internal suction filter
- Lockable filling cap (2 keys)
- High quality Auto shut off trigger
- + 5m of $\%^{\prime\prime}$ delivery hose with swivel & crimped fittings
- 4m wiring harness with alligator clips
- Anti static earth strap
- Low profile design for clear rear view from utility
- BAFFLED TANK 400L & 600L only







Connect fin C (Call 1300 SILVAN (745 826) with us or visit SILVAN.COM.AU



Prices include GST, exclude dealer installation and/or freight charges



ASSET PROTECTION

3G MOBILE MOTION ACTIVATED SECURITY CAMERA

- Uses the 3G mobile network to send photos via email or mms to phone by purchasing a Telstra sim card and SD card.
- Broad angle lens 100° degree field of view
- Uses the 3G mobile network to send photos via email or MMS to phone
- Sends daily reports to phone with number of pictures taken, • temperature, memory available and % charge of AA batteries
- Day & night use with No-Glow night vision up to 15m
- Requires 4 or 8AA good quality batteries for long stand by time
- Records to SD memory card (not included)
- Accepts 3G micro sim cards. For best result check the . availability of the Telstra 3G network in your area before purchasing a sim card
- IP54 Water & dust resistant

MOTION ACTIVATED MINI SECURITY CAMERA

- Images stored on 8GB Micro SD card (included)
- Records 16MP videos and photos
- 6 Months standby time
- Dav and night use







DRIVEWAY ALER

V60 MOTION ACTIVATED

SECURITY CAMERA

Compact and self contained

surveillance device for covertly



MOTION ACTIVATED SECURITY CAMERA WITH 120° VISION

- Ideal for close range targets in and around buildings
- Response time 0.85 seconds
- Operates with 6 or 12AA . batteries





DRIVEWAY ALERI

SEC-ALERT

YouTube

SENDS

IMAGES

TO YOUR

PHONE

ANIMAL CARE & TRANSPORT



<u>/////</u>

ANIMAL ENCLOSURE

Designed for small pets, the fully galvanised steel and chain link mesh construction is sturdy, reliable and some assembly required.



MULTI-PURPOSE PET ENCLOSURE

- Easily stored & transported. Ideal for a variety of animals including dogs, cats, chickens and more.
- Enclosure can be installed in various shapes and sizes
- Robust powder coated steel with Hammertone finish

Call 1300 SILVAN (745 826) or visit SILVAN.COM.AU



Connect

with us

HARDWARE & MATERIAL HANDLING

POLY TRAY CART

- Draw-bar & universal hitch pin for ride-on mower attachment
- Tray tilts for easy loading or unloading of contents
- Pneumatic wheels with steel rims
- Hammertone powder coated steel frame
- 235L tray capacityEasy assembly



LARGE STEEL MESH CART

- Durable 200kg load steel mesh tray
- Large 13" x 4" Pneumatic wheels on steel rims
- Easy convert powder coated steel handle for push or tow arrangement
- Robust powder coated hammertone steel frame
- Easy to remove sides for platform arrangement
- Tray: L 1150mm x W 590mm x H 260mm
- Supplied unassembled



SELECTA HEAVY DUTY WHEELBARROW

- Heavy duty trade quality wheelbarrow.
- UV treated polyethylene tray for strength & durability
- 100L capacity
- Heavy duty timber handles
- Fully welded solid steel legs and front stays



250L POLY DUMP CART HI-GATE

- Durable 250L Poly tray, max load capacity 550kg
- All steel tubular frame with Powder coated finish
- Quick release Tipper latch to lift and unload
- Front handle to assist with unloading heavy loads

STEEL MESH DUMP CART

- Heavy duty steel mesh tray, max load capacity 570kg
- All steel tubular frame with Powder coated finish
- Quick release Tipper latch to lift and unload.
- Removable rails
- Swivel type drawbar for extra maneuverability





FLAT-FREE HAND TROLLEY

- Fully welded hammertone industrial finish frame for maximum strength
- & durability.
 10" Solid, puncture proof flat-free wheels
- Easy fold down platform for carrying large items
- 150kg capacity







World renowned as an American legend, Winchester is entrenched in tradition and committed to excellence.

Our Winchester range of knives includes pocket, folder, fixed, barrel and a multi-tool, ideal for a variety of rural applications.



Prices include GST, exclude dealer installation and/or freight charges



WORKSHOP, LIGHTING & HEATERS



SILVAN AUSTRALIA PTY. LTD. ABN 48 099 851 144 FREE CALL: 1300 745 826 F: 1800 745 826

E: info@silvanaust.com W: silvan.com.au

All items in this catalogue have been included in good faith on the basis that goods described were available at the time this catalogue was published. Failure of suppliers to deliver in accordance with samples, descriptions, or at all, or other unintentional causes may result in some lines being unavailable. Space may prevent some participating dealers from stocking all items. All brand names and product names used in this publication are trade names, registered trade marks, or pending trade marks of their respective owners

*PRICES INC. GST, EXC. DEALER INSTALLATION AND/OR FREIGHT CHARGES. COPYRIGHT © SILVAN AUSTRALIA PTY. LTD. 2021 Ref: SEL-WINTER-21